

**GLENCOE
MATHEMATICS**

Geometry

Chapter 9 Resource Masters

**Mc
Graw
Hill** **Glencoe**

New York, New York
Columbus, Ohio
Chicago, Illinois
Peoria, Illinois
Woodland Hills, California

Consumable Workbooks

Many of the worksheets contained in the Chapter Resource Masters booklets are available as consumable workbooks.

<i>Study Guide and Intervention Workbook</i>	0-07-860191-6
<i>Skills Practice Workbook</i>	0-07-860192-4
<i>Practice Workbook</i>	0-07-860193-2
<i>Reading to Learn Mathematics Workbook</i>	0-07-861061-3

ANSWERS FOR WORKBOOKS The answers for Chapter 9 of these workbooks can be found in the back of this Chapter Resource Masters booklet.



The McGraw-Hill Companies

Copyright © by The McGraw-Hill Companies, Inc. All rights reserved.
Printed in the United States of America. Permission is granted to reproduce the material contained herein on the condition that such material be reproduced only for classroom use; be provided to students, teachers, and families without charge; and be used solely in conjunction with Glencoe's *Geometry*. Any other reproduction, for use or sale, is prohibited without prior written permission of the publisher.

Send all inquiries to:
The McGraw-Hill Companies
8787 Orion Place
Columbus, OH 43240-4027

ISBN: 0-07-860186-X

Geometry
Chapter 9 Resource Masters

1 2 3 4 5 6 7 8 9 10 009 11 10 09 08 07 06 05 04 03

Contents

Vocabulary Builder	vii
Proof Builder	ix
Lesson 9-1	
Study Guide and Intervention	479–480
Skills Practice	481
Practice	482
Reading to Learn Mathematics	483
Enrichment	484
Lesson 9-2	
Study Guide and Intervention	485–486
Skills Practice	487
Practice	488
Reading to Learn Mathematics	489
Enrichment	490
Lesson 9-3	
Study Guide and Intervention	491–492
Skills Practice	493
Practice	494
Reading to Learn Mathematics	495
Enrichment	496
Lesson 9-4	
Study Guide and Intervention	497–498
Skills Practice	499
Practice	500
Reading to Learn Mathematics	501
Enrichment	502
Lesson 9-5	
Study Guide and Intervention	503–504
Skills Practice	505
Practice	506
Reading to Learn Mathematics	507
Enrichment	508
Lesson 9-6	
Study Guide and Intervention	509–510
Skills Practice	511
Practice	512
Reading to Learn Mathematics	513
Enrichment	514
Lesson 9-7	
Study Guide and Intervention	515–516
Skills Practice	517
Practice	518
Reading to Learn Mathematics	519
Enrichment	520
Chapter 9 Assessment	
Chapter 9 Test, Form 1	521–522
Chapter 9 Test, Form 2A	523–524
Chapter 9 Test, Form 2B	525–526
Chapter 9 Test, Form 2C	527–528
Chapter 9 Test, Form 2D	529–530
Chapter 9 Test, Form 3	531–532
Chapter 9 Open-Ended Assessment	533
Chapter 9 Vocabulary Test/Review	534
Chapter 9 Quizzes 1 & 2	535
Chapter 9 Quizzes 3 & 4	536
Chapter 9 Mid-Chapter Test	537
Chapter 9 Cumulative Review	538
Chapter 9 Standardized Test Practice	539–540
Standardized Test Practice	
Student Recording Sheet	A1
ANSWERS	A2–A32

Teacher's Guide to Using the Chapter 9 Resource Masters

The **Fast File** Chapter Resource system allows you to conveniently file the resources you use most often. The *Chapter 9 Resource Masters* includes the core materials needed for Chapter 9. These materials include worksheets, extensions, and assessment options. The answers for these pages appear at the back of this booklet.

All of the materials found in this booklet are included for viewing and printing in the *Geometry TeacherWorks* CD-ROM.

Vocabulary Builder Pages vii–viii include a student study tool that presents up to twenty of the key vocabulary terms from the chapter. Students are to record definitions and/or examples for each term. You may suggest that students highlight or star the terms with which they are not familiar.

WHEN TO USE Give these pages to students before beginning Lesson 9-1. Encourage them to add these pages to their Geometry Study Notebook. Remind them to add definitions and examples as they complete each lesson.

Vocabulary Builder Pages ix–x include another student study tool that presents up to fourteen of the key theorems and postulates from the chapter. Students are to write each theorem or postulate in their own words, including illustrations if they choose to do so. You may suggest that students highlight or star the theorems or postulates with which they are not familiar.

WHEN TO USE Give these pages to students before beginning Lesson 9-1. Encourage them to add these pages to their Geometry Study Notebook. Remind them to update it as they complete each lesson.

Study Guide and Intervention

Each lesson in *Geometry* addresses two objectives. There is one Study Guide and Intervention master for each objective.

WHEN TO USE Use these masters as reteaching activities for students who need additional reinforcement. These pages can also be used in conjunction with the Student Edition as an instructional tool for students who have been absent.

Skills Practice There is one master for each lesson. These provide computational practice at a basic level.

WHEN TO USE These masters can be used with students who have weaker mathematics backgrounds or need additional reinforcement.

Practice There is one master for each lesson. These problems more closely follow the structure of the Practice and Apply section of the Student Edition exercises. These exercises are of average difficulty.

WHEN TO USE These provide additional practice options or may be used as homework for second day teaching of the lesson.

Reading to Learn Mathematics

One master is included for each lesson. The first section of each master asks questions about the opening paragraph of the lesson in the Student Edition. Additional questions ask students to interpret the context of and relationships among terms in the lesson. Finally, students are asked to summarize what they have learned using various representation techniques.

WHEN TO USE This master can be used as a study tool when presenting the lesson or as an informal reading assessment after presenting the lesson. It is also a helpful tool for ELL (English Language Learner) students.

Enrichment There is one extension master for each lesson. These activities may extend the concepts in the lesson, offer an historical or multicultural look at the concepts, or widen students' perspectives on the mathematics they are learning. These are not written exclusively for honors students, but are accessible for use with all levels of students.

WHEN TO USE These may be used as extra credit, short-term projects, or as activities for days when class periods are shortened.

Assessment Options

The assessment masters in the *Chapter 9 Resources Masters* offer a wide range of assessment tools for intermediate and final assessment. The following lists describe each assessment master and its intended use.

Chapter Assessment

CHAPTER TESTS

- *Form 1* contains multiple-choice questions and is intended for use with basic level students.
- *Forms 2A and 2B* contain multiple-choice questions aimed at the average level student. These tests are similar in format to offer comparable testing situations.
- *Forms 2C and 2D* are composed of free-response questions aimed at the average level student. These tests are similar in format to offer comparable testing situations. Grids with axes are provided for questions assessing graphing skills.
- *Form 3* is an advanced level test with free-response questions. Grids without axes are provided for questions assessing graphing skills.

All of the above tests include a free-response Bonus question.

- The **Open-Ended Assessment** includes performance assessment tasks that are suitable for all students. A scoring rubric is included for evaluation guidelines. Sample answers are provided for assessment.

- A **Vocabulary Test**, suitable for all students, includes a list of the vocabulary words in the chapter and ten questions assessing students' knowledge of those terms. This can also be used in conjunction with one of the chapter tests or as a review worksheet.

Intermediate Assessment

- Four free-response **quizzes** are included to offer assessment at appropriate intervals in the chapter.
- A **Mid-Chapter Test** provides an option to assess the first half of the chapter. It is composed of both multiple-choice and free-response questions.

Continuing Assessment

- The **Cumulative Review** provides students an opportunity to reinforce and retain skills as they proceed through their study of Geometry. It can also be used as a test. This master includes free-response questions.
- The **Standardized Test Practice** offers continuing review of geometry concepts in various formats, which may appear on the standardized tests that they may encounter. This practice includes multiple-choice, grid-in, and short-response questions. Bubble-in and grid-in answer sections are provided on the master.

Answers

- Page A1 is an answer sheet for the Standardized Test Practice questions that appear in the Student Edition on pages 518–519. This improves students' familiarity with the answer formats they may encounter in test taking.
- The answers for the lesson-by-lesson masters are provided as reduced pages with answers appearing in red.
- Full-size answer keys are provided for the assessment masters in this booklet.

9

Reading to Learn Mathematics***Vocabulary Builder***

This is an alphabetical list of the key vocabulary terms you will learn in Chapter 9. As you study the chapter, complete each term's definition or description. Remember to add the page number where you found the term. Add these pages to your Geometry Study Notebook to review vocabulary at the end of the chapter.

Vocabulary Term	Found on Page	Definition/Description/Example
component form		
dilation		
isometry		
line of reflection		
line of symmetry		
point of symmetry		
reflection		
regular tessellation		
resultant		
rotation		

(continued on the next page)

9

Reading to Learn Mathematics**Vocabulary Builder** *(continued)*

Vocabulary Term	Found on Page	Definition/Description/Example
rotational symmetry		
scalar		
semi-regular tessellation		
similarity transformation		
standard position		
tessellation		
transformation		
translation		
uniform tessellations		
vector		

9

Learning to Read Mathematics***Proof Builder***

This is a list of key theorems and postulates you will learn in Chapter 9. As you study the chapter, write each theorem or postulate in your own words. Include illustrations as appropriate. Remember to include the page number where you found the theorem or postulate. Add this page to your Geometry Study Notebook so you can review the theorems and postulates at the end of the chapter.


Theorem or Postulate	Found on Page	Description/Illustration/Abbreviation
Theorem 9.1		
Theorem 9.2		
Postulate 9.1		

9-1 Study Guide and Intervention

Reflections


Draw Reflections The transformation called a **reflection** is a flip of a figure in a point, a line, or a plane. The new figure is the **image** and the original figure is the **preimage**. The preimage and image are congruent, so a reflection is a **congruence transformation** or **isometry**.

Example 1 Construct the image of quadrilateral $ABCD$ under a reflection in line m .



Draw a perpendicular from each vertex of the quadrilateral to m . Find vertices A' , B' , C' , and D' that are the same distance from m on the other side of m . The image is $A'B'C'D'$.

Example 2 Quadrilateral $DEFG$ has vertices $D(-2, 3)$, $E(4, 4)$, $F(3, -2)$, and $G(-3, -1)$. Find the image under reflection in the x -axis.



To find an image for a reflection in the x -axis, use the same x -coordinate and multiply the y -coordinate by -1 . In symbols, $(a, b) \rightarrow (a, -b)$. The new coordinates are $D'(-2, -3)$, $E'(4, -4)$, $F'(3, 2)$, and $G'(-3, 1)$. The image is $D'E'F'G'$.


In Example 2, the notation $(a, b) \rightarrow (a, -b)$ represents a reflection in the x -axis. Here are three other common reflections in the coordinate plane.

- in the y -axis: $(a, b) \rightarrow (-a, b)$
- in the line $y = x$: $(a, b) \rightarrow (b, a)$
- in the origin: $(a, b) \rightarrow (-a, -b)$


Exercises

Draw the image of each figure under a reflection in line m .


1.



2.




3.




Graph each figure and its image under the given reflection.

4. $\triangle DEF$ with $D(-2, -1)$, $E(-1, 3)$, $F(3, -1)$ in the x -axis



5. $ABCD$ with $A(1, 4)$, $B(3, 2)$, $C(2, -2)$, $D(-3, 1)$ in the y -axis




9-1 Study Guide and Intervention *(continued)*

Reflections

Lines and Points of Symmetry If a figure has a **line of symmetry**, then it can be folded along that line so that the two halves match. If a figure has a **point of symmetry**, it is the midpoint of all segments between the preimage and image points.

Example Determine how many lines of symmetry a regular hexagon has. Then determine whether a regular hexagon has point symmetry.

There are six lines of symmetry, three that are diagonals through opposite vertices and three that are perpendicular bisectors of opposite sides. The hexagon has point symmetry because any line through P identifies two points on the hexagon that can be considered images of each other.




Exercises

Determine how many lines of symmetry each figure has. Then determine whether the figure has point symmetry.

1.



2.




3.




4.



5.



6.




7.



8.





9.



9-1 Skills Practice


Reflections

Draw the image of each figure under a reflection in line ℓ .




COORDINATE GEOMETRY Graph each figure and its image under the given reflection.


3. $\triangle ABC$ with vertices $A(-3, 2)$, $B(0, 1)$, and $C(-2, -3)$ in the origin




4. trapezoid $DEFG$ with vertices $D(0, -3)$, $E(1, 3)$, $F(3, 3)$, and $G(4, -3)$ in the y -axis



5. parallelogram $RSTU$ with vertices $R(-2, 3)$, $S(2, 4)$, $T(2, -3)$ and $U(-2, -4)$ in the line $y = x$



6. square $KLMN$ with vertices $K(-1, 0)$, $L(-2, 3)$, $M(1, 4)$, and $N(2, 1)$ in the x -axis





Determine how many lines of symmetry each figure has. Then determine whether the figure has point symmetry.



9-1 Practice


Reflections

Draw the image of each figure under a reflection in line ℓ .




COORDINATE GEOMETRY Graph each figure and its image under the given reflection.


3. quadrilateral $ABCD$ with vertices $A(-3, 3)$, $B(1, 4)$, $C(4, 0)$, and $D(-3, -3)$ in the origin




4. $\triangle FGH$ with vertices $F(-3, -1)$, $G(0, 4)$, and $H(3, -1)$ in the line $y = x$




5. rectangle $QRST$ with vertices $Q(-3, 2)$, $R(-1, 4)$, $S(2, 1)$, and $T(0, -1)$ in the x -axis



6. trapezoid $HIJK$ with vertices $H(-2, 5)$, $I(2, 5)$, $J(-4, -1)$, and $K(-4, 3)$ in the y -axis



ROAD SIGNS Determine how many lines of symmetry each sign has. Then determine whether the sign has point symmetry.



9-1 Reading to Learn Mathematics

Reflections


Pre-Activity Where are reflections found in nature?

Read the introduction to Lesson 9-1 at the top of page 463 in your textbook.
 Suppose you draw a line segment connecting a point at the peak of a mountain to its image in the lake. Where will the midpoint of this segment fall?


Reading the Lesson

1. Draw the reflected image for each reflection described below.


- a. reflection of trapezoid $ABCD$ in the line n
 Label the image of $ABCD$ as $A'B'C'D'$.



- b. reflection of $\triangle RST$ in point P
 Label the image of RST as $R'S'T'$.



- c. reflection of pentagon $ABCDE$ in the origin
 Label the image of $ABCDE$ as $A'B'C'D'E'$.



2. Determine the image of the given point under the indicated reflection.

- a. $(4, 6)$; reflection in the y -axis
- b. $(-3, 5)$; reflection in the x -axis
- c. $(-8, -2)$; reflection in the line $y = x$
- d. $(9, -3)$; reflection in the origin

3. Determine the number of lines of symmetry for each figure described below. Then determine whether the figure has point symmetry and indicate this by writing *yes* or *no*.

- a. a square
- b. an isosceles triangle (not equilateral)
- c. a regular hexagon
- d. an isosceles trapezoid
- e. a rectangle (not a square)
- f. the letter E


Helping You Remember

4. A good way to remember a new geometric term is to relate the word or its parts to geometric terms you already know. Look up the origins of the two parts of the word *isometry* in your dictionary. Explain the meaning of each part and give a term you already know that shares the origin of that part.

9-1 Enrichment

Reflections in the Coordinate Plane


Study the diagram at the right. It shows how the triangle ABC is mapped onto triangle XYZ by the transformation $(x, y) \rightarrow (-x + 6, y)$. Notice that $\triangle XYZ$ is the reflection image with respect to the vertical line with equation $x = 3$.




1. Prove that the vertical line with equation $x = 3$ is the perpendicular bisector of the segment with endpoints (x, y) and $(-x + 6, y)$. (Hint: Use the midpoint formula.)
2. Every transformation of the form $(x, y) \rightarrow (-x + 2h, y)$ is a reflection with respect to the vertical line with equation $x = h$. What kind of transformation is $(x, y) \rightarrow (x, -y + 2k)$?

Draw the transformation image for each figure and the given transformation. Is it a reflection transformation? If so, with respect to what line?

3. $(x, y) \rightarrow (-x - 4, y)$



4. $(x, y) \rightarrow (x, -y + 8)$




9-2 Study Guide and Intervention

Translations

Translations Using Coordinates A transformation called a **translation** slides a figure in a given direction. In the coordinate plane, a translation moves every preimage point $P(x, y)$ to an image point $P(x + a, y + b)$ for fixed values a and b . In words, a translation shifts a figure a units horizontally and b units vertically; in symbols, $(x, y) \rightarrow (x + a, y + b)$.

Example Rectangle $RECT$ has vertices $R(-2, -1)$, $E(-2, 2)$, $C(3, 2)$, and $T(3, -1)$. Graph $RECT$ and its image for the translation $(x, y) \rightarrow (x + 2, y - 1)$.




The translation moves every point of the preimage right 2 units and down 1 unit.

- $(x, y) \rightarrow (x + 2, y - 1)$
 $R(-2, -1) \rightarrow R'(-2 + 2, -1 - 1)$ or $R'(0, -2)$
 $E(-2, 2) \rightarrow E'(-2 + 2, 2 - 1)$ or $E'(0, 1)$
 $C(3, 2) \rightarrow C'(3 + 2, 2 - 1)$ or $C'(5, 1)$
 $T(3, -1) \rightarrow T'(3 + 2, -1 - 1)$ or $T'(5, -2)$


Exercises

Graph each figure and its image under the given translation.


1. \overline{PQ} with endpoints $P(-1, 3)$ and $Q(2, 2)$ under the translation left 2 units and up 1 unit



2. $\triangle PQR$ with vertices $P(-2, -4)$, $Q(-1, 2)$, and $R(2, 1)$ under the translation right 2 units and down 2 units



3. square $SQUR$ with vertices $S(0, 2)$, $Q(3, 1)$, $U(2, -2)$, and $R(-1, -1)$ under the translation right 3 units and up 1 unit




9-2 Study Guide and Intervention *(continued)*

Translations

Translations by Repeated Reflections Another way to find the image of a translation is to reflect the figure twice in parallel lines. This kind of translation is called a **composite of reflections**.

Example In the figure, $m \parallel n$. Find the translation image of $\triangle ABC$.


$\triangle A'B'C'$ is the image of $\triangle ABC$ reflected in line m .
 $\triangle A''B''C''$ is the image of $\triangle A'B'C'$ reflected in line n .
 The final image, $\triangle A''B''C''$, is a translation of $\triangle ABC$.




Exercises

In each figure, $m \parallel n$. Find the translation image of each figure by reflecting it in line m and then in line n .


1.




2.




3.




4.



5.







6.



9-2 Skills Practice


Translations

In each figure, $a \parallel b$. Determine whether figure 3 is a translation image of figure 1. Write *yes* or *no*. Explain your answer.




COORDINATE GEOMETRY Graph each figure and its image under the given translation.

5. $\triangle JKL$ with vertices $J(-4, -4)$, $K(-2, -1)$, and $L(2, -4)$ under the translation $(x, y) \rightarrow (x + 2, y + 5)$





6. quadrilateral $LMNP$ with vertices $L(4, 2)$, $M(4, -1)$, $N(0, -1)$, and $P(1, 4)$ under the translation $(x, y) \rightarrow (x - 4, y - 3)$



9-2 Practice


Translations

In each figure, $c \parallel d$. Determine whether figure 3 is a translation image of figure 1. Write *yes* or *no*. Explain your answer.




COORDINATE GEOMETRY Graph each figure and its image under the given translation.

3. quadrilateral $TUWX$ with vertices $T(-1, 1)$, $U(4, 2)$, $W(1, 5)$, and $X(-1, 3)$ under the translation $(x, y) \rightarrow (x - 2, y - 4)$




4. pentagon $DEFGH$ with vertices $D(-1, -2)$, $E(2, -1)$, $F(5, -2)$, $G(4, -4)$, $H(1, -4)$ under the translation $(x, y) \rightarrow (x - 1, y + 5)$



ANIMATION Find the translation that moves the figure on the coordinate plane.

5. figure 1 \rightarrow figure 2
6. figure 2 \rightarrow figure 3
7. figure 3 \rightarrow figure 4



9-2

Reading to Learn Mathematics

Translations


Pre-Activity How are translations used in a marching band show?

Read the introduction to Lesson 9-2 at the top of page 470 in your textbook.

How do band directors get the marching band to maintain the shape of the figure they originally formed?

Reading the Lesson

- Underline the correct word or phrase to form a true statement.
 - All reflections and translations are (opposites/isometries/equivalent).
 - The preimage and image of a figure under a reflection in a line have (the same orientation/opposite orientations).
 - The preimage and image of a figure under a translation have (the same orientation/opposite orientations).
 - The result of successive reflections over two parallel lines is a (reflection/rotation/translation).
 - Collinearity (is/is not) preserved by translations.
 - The translation $(x, y) \rightarrow (x + a, y + b)$ shifts every point a units (horizontally/vertically) and y units (horizontally/vertically).
- Find the image of each preimage under the indicated translation.
 - (x, y) ; 5 units right and 3 units up
 - (x, y) ; 2 units left and 4 units down
 - (x, y) ; 1 unit left and 6 units up
 - (x, y) ; 7 units right
 - $(4, -3)$; 3 units up
 - $(-5, 6)$; 3 units right and 2 units down
 - $(-7, 5)$; 7 units right and 5 units down
 - $(-9, -2)$; 12 units right and 6 units down
- $\triangle RST$ has vertices $R(-3, 3)$, $S(0, -2)$, and $T(2, 1)$. Graph $\triangle RST$ and its image $\triangle R'S'T'$ under the translation $(x, y) \rightarrow (x + 3, y - 2)$. List the coordinates of the vertices of the image.

**Helping You Remember**

- A good way to remember a new mathematical term is to relate it to an everyday meaning of the same word. How is the meaning of *translation* in geometry related to the idea of *translation* from one language to another?

9-2 Enrichment

Translations in The Coordinate Plane

You can use algebraic descriptions of reflections to show that the composite of two reflections with respect to parallel lines is a translation (that is, a slide).

1. Suppose a and b are two different real numbers. Let S and T be the following reflections.

$$S: (x, y) \rightarrow (-x + 2a, y)$$

$$T: (x, y) \rightarrow (-x + 2b, y)$$

S is reflection with respect to the line with equation $x = a$, and T is reflection with respect to the line with equation $x = b$.

- a. Find an algebraic description (similar to those above for S and T) to describe the composite transformation “ S followed by T .”
- b. Find an algebraic description for the composite transformation “ T followed by S .”
2. Think about the results you obtained in Exercise 1. What do they tell you about how the distance between two parallel lines is related to the distance between a preimage and image point for a composite of reflections with respect to these lines?
3. Illustrate your answers to Exercises 1 and 2 with sketches. Use a separate sheet if necessary.


9-3 Study Guide and Intervention

Rotations

Draw Rotations A transformation called a **rotation** turns a figure through a specified angle about a fixed point called the **center of rotation**. To find the image of a rotation, one way is to use a protractor. Another way is to reflect a figure twice, in two intersecting lines.

Example 1 $\triangle ABC$ has vertices $A(2, 1)$, $B(3, 4)$, and $C(5, 1)$. Draw the image of $\triangle ABC$ under a rotation of 90° counterclockwise about the origin.

- First draw $\triangle ABC$. Then draw a segment from O , the origin, to point A .
- Use a protractor to measure 90° counterclockwise with \overline{OA} as one side.
- Draw \overline{OR} .
- Use a compass to copy \overline{OA} onto \overline{OR} . Name the segment $\overline{OA'}$.
- Repeat with segments from the origin to points B and C .




Example 2 Find the image of $\triangle ABC$ under reflection in lines m and n .

First reflect $\triangle ABC$ in line m . Label the image $\triangle A'B'C'$.

Reflect $\triangle A'B'C'$ in line n . Label the image $\triangle A''B''C''$.


$\triangle A''B''C''$ is a rotation of $\triangle ABC$. The center of rotation is the intersection of lines m and n . The angle of rotation is twice the measure of the acute angle formed by m and n .




Exercises

Draw the rotation image of each figure 90° in the given direction about the center point and label the coordinates.

1. \overline{PQ} with endpoints $P(-1, -2)$ and $Q(1, 3)$ counterclockwise about the origin



2. $\triangle PQR$ with vertices $P(-2, -3)$, $Q(2, -1)$, and $R(3, 2)$ clockwise about the point $T(1, 1)$



Find the rotation image of each figure by reflecting it in line m and then in line n .


- 3.

- 4.

9-3 Study Guide and Intervention *(continued)*

Rotations


Rotational Symmetry When the figure at the right is rotated about point P by 120° or 240° , the image looks like the preimage. The figure has **rotational symmetry**, which means it can be rotated less than 360° about a point and the preimage and image appear to be the same.



The figure has rotational symmetry of **order 3** because there are 3 rotations less than 360° (0° , 120° , 240°) that produce an image that is the same as the original. The **magnitude** of the rotational symmetry for a figure is 360 degrees divided by the order. For the figure above, the rotational symmetry has magnitude 120 degrees.

Example Identify the order and magnitude of the rotational symmetry of the design at the right.

The design has rotational symmetry about the center point for rotations of 0° , 45° , 90° , 135° , 180° , 225° , 270° , and 315° .






There are eight rotations less than 360 degrees, so the order of its rotational symmetry is 8. The quotient $360 \div 8$ is 45 , so the magnitude of its rotational symmetry is 45 degrees.

Exercises

Identify the order and magnitude of the rotational symmetry of each figure.

1. a square

2. a regular 40-gon




9-3 Skills Practice


Rotations

Rotate each figure about point R under the given angle of rotation and the given direction. Label the vertices of the rotation image.

1. 90° counterclockwise




2. 90° clockwise




COORDINATE GEOMETRY Draw the rotation image of each figure 90° in the given direction about the origin and label the coordinates.



3. $\triangle STW$ with vertices $S(2, -1)$, $T(5, 1)$, and $W(3, 3)$ counterclockwise



4. $\triangle DEF$ with vertices $D(-4, 3)$, $E(1, 2)$, and $F(-3, -3)$ clockwise



Use a composition of reflections to find the rotation image with respect to lines k and m . Then find the angle of rotation for each image.




9-3 Practice


Rotations

Rotate each figure about point R under the given angle of rotation and the given direction. Label the vertices of the rotation image.

1. 80° counterclockwise




2. 100° clockwise




COORDINATE GEOMETRY Draw the rotation image of each figure 90° in the given direction about the center point and label the coordinates.



3. $\triangle RST$ with vertices $R(-3, 3)$, $S(2, 4)$, and $T(1, 2)$ clockwise about the point $P(1, 0)$



4. $\triangle HJK$ with vertices $H(3, 1)$, $J(3, -3)$, and $K(-3, -4)$ counterclockwise about the point $P(-1, -1)$



Use a composition of reflections to find the rotation image with respect to lines p and s . Then find the angle of rotation for each image.



7. **STEAMBOATS** A paddle wheel on a steamboat is driven by a steam engine and moves from one paddle to the next to propel the boat through the water. If a paddle wheel consists of 18 evenly spaced paddles, identify the order and magnitude of its rotational symmetry.

9-3

Reading to Learn Mathematics

Rotations


Pre-Activity How do some amusement rides illustrate rotations?

Read the introduction to Lesson 9-3 at the top of page 476 in your textbook.
What are two ways that each car rotates?

Reading the Lesson

1. List all of the following types of transformations that satisfy each description: *reflection, translation, rotation*.
 - a. The transformation is an isometry.
 - b. The transformation preserves the orientation of a figure.
 - c. The transformation is the composite of successive reflections over two intersecting lines.
 - d. The transformation is the composite of successive reflections over two parallel lines.
 - e. A specific transformation is defined by a fixed point and a specified angle.
 - f. A specific transformation is defined by a fixed point, a fixed line, or a fixed plane.
 - g. A specific transformation is defined by $(x, y) \rightarrow (x + a, x + b)$, for fixed values of a and b .
 - h. The transformation is also called a slide.
 - i. The transformation is also called a flip.
 - j. The transformation is also called a turn.

2. Determine the order and magnitude of the rotational symmetry for each figure.


**Helping You Remember**

3. What is an easy way to remember the order and magnitude of the rotational symmetry of a regular polygon?

9-3 Enrichment

Finding the Center of Rotation


Suppose you are told that $\triangle X'Y'Z'$ is the rotation image of $\triangle XYZ$, but you are not told where the center of rotation is nor the measure of the angle of rotation. Can you find them? Yes, you can. Connect two pairs of corresponding vertices with segments. In the figure, the segments YY' and ZZ' are used. Draw the perpendicular bisectors, ℓ and m , of these segments. The point C where ℓ and m intersect is the center of rotation.






- How can you find the measure of the angle of rotation in the figure above?

Locate the center of rotation for the rotation that maps $WXYZ$ onto $W'X'Y'Z'$. Then find the measure of the angle of rotation.

2.




3.




9-4 Study Guide and Intervention

Tessellations

Regular Tessellations A pattern that covers a plane with repeating copies of one or more figures so that there are no overlapping or empty spaces is a **tessellation**. A **regular tessellation** uses only one type of regular polygon. In a tessellation, the sum of the measures of the angles of the polygons surrounding a vertex is 360. If a regular polygon has an interior angle that is a factor of 360, then the polygon will tessellate.



regular tessellation



tessellation



Copies of a regular hexagon can form a tessellation.



Copies of a regular pentagon cannot form a tessellation.

Example

Determine whether a regular 16-gon tessellates the plane. Explain.

If $m\angle 1$ is the measure of one interior angle of a regular polygon, then a formula for $m\angle 1$ is $m\angle 1 = \frac{180(n-2)}{n}$. Use the formula with $n = 16$.

$$\begin{aligned} m\angle 1 &= \frac{180(n-2)}{n} \\ &= \frac{180(16-2)}{16} \\ &= 157.5 \end{aligned}$$

The value 157.5 is not a factor of 360, so the 16-gon will not tessellate.

Exercises

Determine whether each polygon tessellates the plane. If so, draw a sample figure.

1. scalene right triangle

2. isosceles trapezoid

Determine whether each regular polygon tessellates the plane. Explain.

3. square

4. 20-gon

5. septagon

6. 15-gon

7. octagon

8. pentagon


9-4 Study Guide and Intervention *(continued)*

Tessellations

Tessellations with Specific Attributes A tessellation pattern can contain any type of polygon. If the arrangement of shapes and angles at each vertex in the tessellation is the same, the tessellation is **uniform**. A **semi-regular tessellation** is a uniform tessellation that contains two or more regular polygons.

Example Determine whether a kite will tessellate the plane. If so, describe the tessellation as *uniform, regular, semi-regular, or not uniform*.

A kite will tessellate the plane. At each vertex the sum of the measures is $a + b + b + c$, which is 360. The tessellation is uniform.




Exercises

Determine whether a semi-regular tessellation can be created from each set of figures. If so, sketch the tessellation. Assume that each figure has a side length of 1 unit.


1. rhombus, equilateral triangle, and octagon
2. square and equilateral triangle

Determine whether each polygon tessellates the plane. If so, describe the tessellation as *uniform, not uniform, regular, or semi-regular*.

3. rectangle



4. hexagon and square



9-4 Skills Practice

Tessellations

Determine whether each regular polygon tessellates the plane. Explain.


- 1. 15-gon
- 2. 18-gon
- 3. square
- 4. 20-gon

Determine whether a semi-regular tessellation can be created from each set of figures. Assume each figure has a side length of 1 unit.


- 5. regular pentagons and equilateral triangles
- 6. regular dodecagons and equilateral triangles
- 7. regular octagons and equilateral triangles

Determine whether each polygon tessellates the plane. If so, describe the tessellation as *uniform*, *not uniform*, *regular*, or *semi-regular*.



- 8. rhombus



- 9. isosceles trapezoid and square



Determine whether each pattern is a tessellation. If so, describe it as *uniform*, *not uniform*, *regular*, or *semi-regular*.



9-4 Practice

Tessellations

Determine whether each regular polygon tessellates the plane. Explain.


1. 22-gon
2. 40-gon

Determine whether a semi-regular tessellation can be created from each set of figures. Assume each figure has a side length of 1 unit.


3. regular pentagons and regular decagons
4. regular dodecagons, regular hexagons, and squares

Determine whether each polygon tessellates the plane. If so, describe the tessellation as *uniform*, *not uniform*, *regular*, or *semi-regular*.

5. kite




6. octagon and decagon




Determine whether each pattern is a tessellation. If so, describe it as *uniform*, *not uniform*, *regular*, or *semi-regular*.

- 7.




- 8.



FLOOR TILES For Exercises 9 and 10, use the following information.

Mr. Martinez chose the pattern of tile shown to retiling his kitchen floor.



9. Determine whether the pattern is a tessellation. Explain

10. Is the pattern uniform, regular, or semi-regular?

9-4

Reading to Learn Mathematics



*Tesselations***Pre-Activity** How are tessellations used in art?

Read the introduction to Lesson 9-4 at the top of page 483 in your textbook.

- In the pattern shown in the picture in your textbook, how many small equilateral triangles make up one regular hexagon?
- In this pattern, how many fish make up one equilateral triangle?

Reading the Lesson

- Underline the correct word, phrase, or number to form a true statement.
 - A tessellation is a pattern that covers a plane with the same figure or set of figures so that there are no (congruent angles/overlapping or empty spaces/right angles).
 - A tessellation that uses only one type of regular polygon is called a (uniform/regular/semi-regular) tessellation.
 - The sum of the measures of the angles at any vertex in any tessellation is (90/180/360).
 - A tessellation that contains the same arrangement of shapes and angles at every vertex is called a (uniform/regular/semi-regular) tessellation.
 - In a regular tessellation made up of hexagons, there are (3/4/6) hexagons meeting at each vertex, and the measure of each of the angles at any vertex is (60/90/120).
 - A uniform tessellation formed using two or more regular polygons is called a (rotational/regular/semi-regular) tessellation.
 - In a regular tessellation made up of triangles, there are (3/4/6) triangles meeting at each vertex, and the measure of each of the angles at any vertex is (30/60/120).
 - If a regular tessellation is made up of quadrilaterals, all of the quadrilaterals must be congruent (rectangles/parallelograms/squares/trapezoids).
- Write all of the following words that describe each tessellation: *uniform*, *non-uniform*, *regular*, *semi-regular*.

**Helping You Remember**










- Often the everyday meanings of a word can help you to remember its mathematical meaning. Look up *uniform* in your dictionary. How can its everyday meanings help you to remember the meaning of a *uniform* tessellation?

9-4 Enrichment

Polygonal Numbers

Certain numbers related to regular polygons are called **polygonal numbers**. The chart shows several triangular, square, and pentagonal numbers. The **rank** of a polygon number is the number of dots on each “side” of the outer polygon. For example, the pentagonal number 22 has a rank of 4.

Polygonal numbers can be described with formulas. For example, a triangular number T of rank r can be described by $T = \frac{r(r + 1)}{2}$.

	Rank 1	Rank 2	Rank 3	Rank 4
Triangle	• 1	 3	 6	 10
Square	• 1	 4	 9	 16
Pentagon	• 1	 5	 12	 22

Answer each question.

1. Draw a diagram to find the triangular number of rank 5.
2. Draw a diagram to find the pentagonal number of rank 5.
3. Write a formula for a square number S of rank r .
4. Write a formula for a pentagonal number P of rank r .
5. What is the rank of the pentagonal number 70?
6. List the hexagonal numbers for ranks 1 to 5. (Hint: Draw a diagram.)

9-5 Study Guide and Intervention


Dilations

Classify Dilations A **dilation** is a transformation in which the image may be a different size than the preimage. A dilation requires a center point and a scale factor, r .

Let r represent the scale factor of a dilation.
 If $|r| > 1$, then the dilation is an enlargement.
 If $|r| = 1$, then the dilation is a congruence transformation.
 If $0 < |r| < 1$, then the dilation is a reduction.

Example Draw the dilation image of $\triangle ABC$ with center O and $r = 2$.


Draw \overline{OA} , \overline{OB} , and \overline{OC} . Label points A' , B' , and C' so that $OA' = 2(OA)$, $OB' = 2(OB)$, and $OC' = 2(OC)$. $\triangle A'B'C'$ is a dilation of $\triangle ABC$.




Exercises

Draw the dilation image of each figure with center C and the given scale factor. Describe each transformation as an *enlargement*, *congruence*, or *reduction*.


1. $r = 2$




2. $r = \frac{1}{2}$




3. $r = 1$




4. $r = 3$



5. $r = \frac{2}{3}$



6. $r = 1$




9-5 Study Guide and Intervention *(continued)*

Dilations

Identify the Scale Factor If you know corresponding measurements for a preimage and its dilation image, you can find the scale factor.

Example Determine the scale factor for the dilation of \overline{XY} to \overline{AB} . Determine whether the dilation is an *enlargement*, *reduction*, or *congruence transformation*.

$$\begin{aligned} \text{scale factor} &= \frac{\text{image length}}{\text{preimage length}} \\ &= \frac{8 \text{ units}}{4 \text{ units}} \\ &= 2 \end{aligned}$$




The scale factor is greater than 1, so the dilation is an enlargement.


Exercises

Determine the scale factor for each dilation with center C . Determine whether the dilation is an *enlargement*, *reduction*, or *congruence transformation*.


1. $CGHJ$ is a dilation image of $CDEF$.




2. $\triangle CKL$ is a dilation image of $\triangle CKL$.




3. $STUVWX$ is a dilation image of $MNOPQR$.




4. $\triangle CPQ$ is a dilation image of $\triangle CYZ$.



5. $\triangle EFG$ is a dilation image of $\triangle ABC$.



6. $\triangle HJK$ is a dilation image of $\triangle HJK$.




9-5 Skills Practice


Dilations

Draw the dilation image of each figure with center C and the given scale factor.

1. $r = 2$



2. $r = \frac{1}{4}$




Find the measure of the dilation image $\overline{M'N'}$ or of the preimage \overline{MN} using the given scale factor.

3. $MN = 3, r = 3$


4. $M'N' = 7, r = 21$

COORDINATE GEOMETRY Find the image of each polygon, given the vertices, after a dilation centered at the origin with a scale factor of 2. Then graph a dilation centered at the origin with a scale factor of $\frac{1}{2}$.



5. $J(2, 4), K(4, 4), P(3, 2)$



6. $D(-2, 0), G(0, 2), F(2, -2)$



Determine the scale factor for each dilation with center C . Determine whether the dilation is an *enlargement*, *reduction*, or *congruence transformation*. The dashed figure is the dilation image.




9-5 Practice


Dilations

Draw the dilation image of each figure with center C and the given scale factor.

1. $r = \frac{3}{2}$



2. $r = \frac{2}{3}$



Find the measure of the dilation image $\overline{A'T'}$ or of the preimage \overline{AT} using the given scale factor.


3. $AT = 15, r = \frac{3}{5}$

4. $AT = 30, r = -\frac{1}{6}$


5. $A'T' = 12, r = \frac{4}{3}$

COORDINATE GEOMETRY Find the image of each polygon, given the vertices, after a dilation centered at the origin with a scale factor of 2. Then graph a dilation centered at the origin with a scale factor of $\frac{1}{2}$.



6. $A(1, 1), C(2, 3), D(4, 2), E(3, 1)$



7. $Q(-1, -1), R(0, 2), S(2, 1)$



Determine the scale factor for each dilation with center C . Determine whether the dilation is an *enlargement*, *reduction*, or *congruence transformation*. The dotted figure is the dilation image.



10. **PHOTOGRAPHY** Estebe enlarged a 4-inch by 6-inch photograph by a factor of $\frac{5}{2}$. What are the new dimensions of the photograph?

9-5

Reading to Learn Mathematics**Dilations****Pre-Activity** How do you use dilations when you use a computer?

Read the introduction to Lesson 9-5 at the top of page 490 in your textbook.

In addition to the example given in your textbook, give two everyday examples of scaling an object, one that makes the object larger and another that makes it smaller.

Reading the Lesson

- Each of the values of r given below represents the scale factor for a dilation. In each case, determine whether the dilation is an *enlargement*, a *reduction*, or a *congruence transformation*.
 - $r = 3$
 - $r = -0.75$
 - $r = \frac{2}{3}$
 - $r = -1.01$
 - $r = 0.5$
 - $r = -1$
 - $r = -\frac{3}{2}$
 - $r = 0.999$
- Determine whether each sentence is *always*, *sometimes*, or *never* true. If the sentence is not always true, explain why.
 - A dilation requires a center point and a scale factor.
 - A dilation changes the size of a figure.
 - A dilation changes the shape of a figure.
 - The image of a figure under a dilation lies on the opposite side of the center from the preimage.
 - A similarity transformation is a congruence transformation.
 - The center of a dilation is its own image.
 - A dilation is an isometry.
 - The scale factor for a dilation is a positive number.
 - Dilations produce similar figures.

Helping You Remember


- A good way to remember something is to explain it to someone else. Suppose that your classmate Lydia is having trouble understanding the relationship between *similarity transformations* and *congruence transformations*. How can you explain this to her?

9-5 Enrichment


Similar Circles

You may be surprised to learn that two noncongruent circles that lie in the same plane and have no common interior points can be mapped one onto the other by more than one dilation.

- Here is diagram that suggests one way to map a smaller circle onto a larger one using a dilation. The circles are given. The lines suggest how to find the center for the dilation. Describe how the center is found. Use segments in the diagram to name the scale factor.



- Here is another pair of noncongruent circles with no common interior point. From Exercise 1, you know you can locate a point off to the left of the smaller circle that is the center for a dilation mapping $\odot C$ onto $\odot C'$. Find another center for another dilation that maps $\odot C$ onto $\odot C'$. Mark and label segments to name the scale factor.




9-6 Study Guide and Intervention

Vectors

Magnitude and Direction A vector is a directed segment representing a quantity that has both **magnitude**, or length, and **direction**. For example, the speed and direction of an airplane can be represented by a vector. In symbols, a vector is written as \overline{AB} , where A is the initial point and B is the endpoint, or as \vec{v} .

A vector in **standard position** has its initial point at $(0, 0)$ and can be represented by the ordered pair for point B . The vector at the right can be expressed as $\vec{v} = \langle 5, 3 \rangle$.



You can use the Distance Formula to find the magnitude $|\overline{AB}|$ of a vector. You can describe the direction of a vector by measuring the angle that the vector forms with the positive x -axis or with any other horizontal line.

Example Find the magnitude and direction of \overline{AB} for $A(5, 2)$ and $B(8, 7)$.

Find the magnitude.


$$\begin{aligned} |\overline{AB}| &= \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2} \\ &= \sqrt{(8 - 5)^2 + (7 - 2)^2} \\ &= \sqrt{34} \text{ or about } 5.8 \text{ units} \end{aligned}$$

To find the direction, use the tangent ratio.

$$\tan A = \frac{5}{3} \quad \text{The tangent ratio is opposite over adjacent.}$$

$$m\angle A \approx 59.0 \quad \text{Use a calculator.}$$

The magnitude of the vector is about 5.8 units and its direction is 59° .



Exercises

Find the magnitude and direction of \overline{AB} for the given coordinates. Round to the nearest tenth.

- | | |
|------------------------|------------------------|
| 1. $A(3, 1), B(-2, 3)$ | 2. $A(0, 0), B(-2, 1)$ |
| 3. $A(0, 1), B(3, 5)$ | 4. $A(-2, 2), B(3, 1)$ |
| 5. $A(3, 4), B(0, 0)$ | 6. $A(4, 2), B(0, 3)$ |

9-6 Study Guide and Intervention *(continued)*

Vectors


Translations with Vectors Recall that the transformation $(a, b) \rightarrow (a + 2, b - 3)$ represents a translation right 2 units and down 3 units. The vector $\langle 2, -3 \rangle$ is another way to describe that translation. Also, two vectors can be added: $\langle a, b \rangle + \langle c, d \rangle = \langle a + c, b + d \rangle$. The sum of two vectors is called the **resultant**.

Example Graph the image of parallelogram $RSTU$ under the translation by the vectors $\vec{m} = \langle 3, -1 \rangle$ and $\vec{n} = \langle -2, -4 \rangle$.

Find the sum of the vectors.

$$\begin{aligned} \vec{m} + \vec{n} &= \langle 3, -1 \rangle + \langle -2, -4 \rangle \\ &= \langle 3 - 2, -1 - 4 \rangle \\ &= \langle 1, -5 \rangle \end{aligned}$$


Translate each vertex of parallelogram $RSTU$ right 1 unit and down 5 units.




Exercises

Graph the image of each figure under a translation by the given vector(s).


1. $\triangle ABC$ with vertices $A(-1, 2)$, $B(0, 0)$, and $C(2, 3)$; $\vec{m} = \langle 2, -3 \rangle$



2. $ABCD$ with vertices $A(-4, 1)$, $B(-2, 3)$, $C(1, 1)$, and $D(-1, -1)$; $\vec{n} = \langle 3, -3 \rangle$



3. $ABCD$ with vertices $A(-3, 3)$, $B(1, 3)$, $C(1, 1)$, and $D(-3, 1)$; the sum of $\vec{p} = \langle -2, 1 \rangle$ and $\vec{q} = \langle 5, -4 \rangle$



Given $\vec{m} = \langle 1, -2 \rangle$ and $\vec{n} = \langle -3, -4 \rangle$, represent each of the following as a single vector.



4. $\vec{m} + \vec{n}$

5. $\vec{n} - \vec{m}$

9-6 Skills Practice

Vectors

Write the component form of each vector.



Find the magnitude and direction of \overline{RS} for the given coordinates. Round to the nearest tenth.

3. $R(2, -3), S(4, 9)$

4. $R(0, 2), S(3, 12)$



5. $R(5, 4), S(-3, 1)$

6. $R(1, 5), S(-4, -6)$

Graph the image of each figure under a translation by the given vector(s).

7. $\triangle ABC$ with vertices $A(-4, 3), B(-1, 4), C(-1, 1)$; $\vec{t} = \langle 4, -3 \rangle$

8. trapezoid with vertices $T(-4, -2), R(-1, -2), S(-2, -3), Y(-3, -3)$; $\vec{a} = \langle 3, 1 \rangle$ and $\vec{b} = \langle 2, 4 \rangle$



Find the magnitude and direction of each resultant for the given vectors.



9. $\vec{y} = \langle 7, 0 \rangle, \vec{z} = \langle 0, 6 \rangle$

10. $\vec{b} = \langle 3, 2 \rangle, \vec{c} = \langle -2, 3 \rangle$

9-6 Practice

Vectors

Write the component form of each vector.



Find the magnitude and direction of \overrightarrow{FG} for the given coordinates. Round to the nearest tenth.



3. $F(-8, -5), G(-2, 7)$

4. $F(-4, 1), G(5, -6)$

Graph the image of each figure under a translation by the given vector(s).

5. $\triangle QRT$ with vertices $Q(-1, 1), R(1, 4), T(5, 1)$; $\vec{s} = \langle -2, -5 \rangle$

6. trapezoid with vertices $J(-4, -1), K(0, -1), L(-1, -3), M(-2, -3)$; $\vec{c} = \langle 5, 4 \rangle$ and $\vec{d} = \langle -2, 1 \rangle$



Find the magnitude and direction of each resultant for the given vectors.

7. $\vec{a} = \langle -6, 4 \rangle, \vec{b} = \langle 4, 6 \rangle$

8. $\vec{e} = \langle -4, -5 \rangle, \vec{f} = \langle -1, 3 \rangle$

AVIATION For Exercises 9 and 10, use the following information.

A jet begins a flight along a path due north at 300 miles per hour. A wind is blowing due west at 30 miles per hour.

9. Find the resultant velocity of the plane.

10. Find the resultant direction of the plane.

9-6

Reading to Learn Mathematics

Vectors

Pre-Activity How do vectors help a pilot plan a flight?

Read the introduction to Lesson 9-6 at the top of page 498 in your textbook.

Why do pilots often head their planes in a slightly different direction from their destination?

Reading the Lesson

- Supply the missing words or phrases to complete the following sentences.
 - A _____ is a directed segment representing a quantity that has both magnitude and direction.
 - The length of a vector is called its _____.
 - Two vectors are parallel if and only if they have the same or _____ direction.
 - A vector is in _____ if it is drawn with initial point at the origin.
 - Two vectors are equal if and only if they have the same _____ and the same _____.
 - The sum of two vectors is called the _____.
 - A vector is written in _____ if it is expressed as an ordered pair.
 - The process of multiplying a vector by a constant is called _____.
- Write each vector described below in component form.
 - a vector in standard position with endpoint (a, b)
 - a vector with initial point (a, b) and endpoint (c, d)
 - a vector in standard position with endpoint $(-3, 5)$
 - a vector with initial point $(2, -3)$ and endpoint $(6, -8)$
 - $\vec{a} + \vec{b}$ if $\vec{a} = \langle -3, 5 \rangle$ and $\vec{b} = \langle 6, -4 \rangle$
 - $5\vec{u}$ if $\vec{u} = \langle 8, -6 \rangle$
 - $-\frac{1}{3}\vec{v}$ if $\vec{v} = \langle -15, 24 \rangle$
 - $0.5\vec{u} + 1.5\vec{v}$ if $\vec{u} = \langle 10, -10 \rangle$ and $\vec{v} = \langle -8, 6 \rangle$

Helping You Remember

- A good way to remember a new mathematical term is to relate it to a term you already know. You learned about *scale factors* when you studied similarity and dilations. How is the idea of a *scalar* related to *scale factors*?

9-6 Enrichment

Reading Mathematics

Many quantities in nature can be thought of as vectors. The science of physics involves many vector quantities. In reading about applications of mathematics, ask yourself whether the quantities involve only magnitude or both magnitude and direction. The first kind of quantity is called **scalar**. The second kind is a **vector**.

Classify each of the following. Write *scalar* or *vector*.


1. the mass of a book
2. a car traveling north at 55 mph
3. a balloon rising 24 feet per minute
4. the size of a shoe
5. a room temperature of 22 degrees Celsius
6. a west wind of 15 mph
7. the batting average of a baseball player
8. a car traveling 60 mph
9. a rock falling at 10 mph
10. your age
11. the force of Earth's gravity acting on a moving satellite
12. the area of a record rotating on a turntable
13. the length of a vector in the coordinate plane

9-7 Study Guide and Intervention

Transformations with Matrices

Translations and Dilations A **vector** can be represented by the ordered pair $\langle x, y \rangle$ or by the **column matrix** $\begin{bmatrix} x \\ y \end{bmatrix}$. When the ordered pairs for all the vertices of a polygon are placed together, the resulting matrix is called the **vertex matrix** for the polygon.

For $\triangle ABC$ with $A(-2, 2)$, $B(2, 1)$, and $C(-1, -1)$, the vertex matrix for the triangle is $\begin{bmatrix} -2 & 2 & -1 \\ 2 & 1 & -1 \end{bmatrix}$.



Example 1

For $\triangle ABC$ above, use a matrix to find the coordinates of the vertices of the image of $\triangle ABC$ under the translation $(x, y) \rightarrow (x + 3, y - 1)$.

To translate the figure 3 units to the right, add 3 to each x -coordinate. To translate the figure 1 unit down, add -1 to each y -coordinate.

$$\begin{array}{ccc} \text{Vertex Matrix} & \text{Translation} & \text{Vertex Matrix} \\ \text{of } \triangle ABC & \text{Matrix} & \text{of } \triangle A'B'C' \\ \begin{bmatrix} -2 & 2 & -1 \\ 2 & 1 & -1 \end{bmatrix} & + \begin{bmatrix} 3 & 3 & 3 \\ -1 & -1 & -1 \end{bmatrix} & = \begin{bmatrix} 1 & 5 & 2 \\ 1 & 0 & -2 \end{bmatrix} \end{array}$$

The coordinates are $A'(1, 1)$, $B'(5, 0)$, and $C'(2, -2)$.

Example 2

For $\triangle ABC$ above, use a matrix to find the coordinates of the vertices of the image of $\triangle ABC$ for a dilation centered at the origin with scale factor 3.

$$\begin{array}{ccc} \text{Scale} & \text{Vertex Matrix} & \text{Vertex Matrix} \\ \text{Factor} & \text{of } \triangle ABC & \text{of } \triangle A'B'C' \\ 3 \cdot \begin{bmatrix} -2 & 2 & -1 \\ 2 & 1 & -1 \end{bmatrix} & = & \begin{bmatrix} -6 & 6 & -3 \\ 6 & 3 & -3 \end{bmatrix} \end{array}$$

The coordinates are $A'(-6, 6)$, $B'(6, 3)$, and $C'(-3, -3)$.

Exercises

Use a matrix to find the coordinates of the vertices of the image of each figure under the given translations or dilations.

- $\triangle ABC$ with $A(3, 1)$, $B(-2, 4)$, $C(-2, -1)$; $(x, y) \rightarrow (x - 1, y + 2)$
- parallelogram $RSTU$ with $R(-4, -2)$, $S(-3, 1)$, $T(3, 4)$, $U(2, 1)$; $(x, y) \rightarrow (x - 4, y - 3)$
- rectangle $PQRS$ with $P(4, 0)$, $Q(3, -3)$, $R(-3, -1)$, $S(-2, 2)$; $(x, y) \rightarrow (x - 2, y + 1)$
- $\triangle ABC$ with $A(-2, -1)$, $B(-2, -3)$, $C(2, -1)$; dilation centered at the origin with scale factor 2
- parallelogram $RSTU$ with $R(4, -2)$, $S(-4, -1)$, $T(-2, 3)$, $U(6, 2)$; dilation centered at the origin with scale factor 1.5

9-7 Study Guide and Intervention *(continued)*

Transformations with Matrices


Reflections and Rotations When you reflect an image, one way to find the coordinates of the reflected vertices is to multiply the vertex matrix of the object by a **reflection matrix**. To perform more than one reflection, multiply by one reflection matrix to find the first image. Then multiply by the second matrix to find the final image. The matrices for reflections in the axes, the origin, and the line $y = x$ are shown below.

For a reflection in the:	x-axis	y-axis	origin	line $y = x$
Multiply the vertex matrix by:	$\begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$	$\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix}$	$\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$	$\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$

Example

$\triangle ABC$ has vertices $A(-2, 3)$, $B(1, 4)$, and $C(3, 0)$. Use a matrix to find the coordinates of the vertices of the image of $\triangle ABC$ after a reflection in the x -axis.

To reflect in the x -axis, multiply the vertex matrix of $\triangle ABC$ by the reflection matrix for the x -axis.



$$\begin{array}{l} \text{Reflection Matrix} \\ \text{for } x\text{-axis} \end{array} \begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix} \cdot \begin{array}{l} \text{Vertex Matrix} \\ \text{of } \triangle ABC \end{array} \begin{bmatrix} -2 & 1 & 3 \\ 3 & 4 & 0 \end{bmatrix} = \begin{array}{l} \text{Vertex Matrix} \\ \text{of } \triangle A'B'C' \end{array} \begin{bmatrix} -2 & 1 & 3 \\ -3 & -4 & 0 \end{bmatrix}$$

Exercises

Use a matrix to find the coordinates of the vertices of the image of each figure under the given reflection.

- $\triangle ABC$ with $A(-3, 2)$, $B(-1, 3)$, $C(1, 0)$; reflection in the x -axis
- $\triangle XYZ$ with $X(2, -1)$, $Y(4, -3)$, $Z(-2, 1)$; reflection in the y -axis
- $\triangle ABC$ with $A(3, 4)$, $B(-1, 0)$, $C(-2, 4)$; reflection in the origin
- parallelogram $RSTU$ with $R(-3, 2)$, $S(3, 2)$, $T(5, -1)$, $U(-1, -1)$; reflection in the line $y = x$
- $\triangle ABC$ with $A(2, 3)$, $B(-1, 2)$, $C(1, -1)$; reflection in the origin, then reflection in the line $y = x$
- parallelogram $RSTU$ with $R(0, 2)$, $S(4, 2)$, $T(3, -2)$, $U(-1, -2)$; reflection in the x -axis, then reflection in the y -axis

9-7 Skills Practice***Transformations with Matrices***

Use a matrix to find the coordinates of the vertices of the image of each figure under the given translations.

1. $\triangle STU$ with $S(6, 4)$, $T(9, 7)$, and $U(14, 2)$; $(x, y) \rightarrow (x - 4, y + 3)$

2. $\triangle GHI$ with $G(-5, 0)$, $H(-3, 6)$, and $I(-2, 1)$; $(x, y) \rightarrow (x + 2, y + 6)$

Use scalar multiplication to find the coordinates of the vertices of each figure for a dilation centered at the origin with the given scale factor.

3. $\triangle DEF$ with $D(2, 1)$, $E(5, 4)$, and $F(7, 2)$; $r = 4$

4. quadrilateral $WXYZ$ with $W(-9, 6)$, $X(-6, 3)$, $Y(3, 12)$, and $Z(-6, 15)$; $r = \frac{1}{3}$

Use a matrix to find the coordinates of the vertices of the image of each figure under the given reflection.

5. $\triangle MNO$ with $M(-5, 1)$, $N(-2, 3)$, and $O(2, 0)$; y -axis

6. quadrilateral $ABCD$ with $A(3, 1)$, $B(6, -2)$, $C(5, -5)$, and $D(1, -6)$; x -axis

Use a matrix to find the coordinates of the vertices of the image of each figure under the given rotation.

7. $\triangle RST$ with $R(-2, -2)$, $S(-3, 3)$, and $T(2, 2)$; 90° counterclockwise

8. $\square LMNP$ with $L(3, 4)$, $M(7, 4)$, $N(9, -3)$, and $P(5, -3)$; 180° counterclockwise

9-7 Practice***Transformations with Matrices***

Use a matrix to find the coordinates of the vertices of the image of each figure under the given translations.

1. $\triangle KLM$ with $K(-7, -3)$, $L(4, 9)$, and $M(9, -6)$; $(x, y) \rightarrow (x - 7, y + 2)$
2. $\square ABCD$ with $A(-4, 3)$, $B(-2, 8)$, $C(3, 10)$, and $D(1, 5)$; $(x, y) \rightarrow (x + 3, y - 9)$

Use scalar multiplication to find the coordinates of the vertices of each figure for a dilation centered at the origin with the given scale factor.

3. quadrilateral $HIJK$ with $H(-2, 3)$, $I(2, 6)$, $J(8, 3)$, and $K(3, -4)$; $r = -\frac{1}{3}$
4. pentagon $DEFGH$ with $D(-8, -4)$, $E(-8, 2)$, $F(2, 6)$, $G(8, 0)$, and $H(4, -6)$; $r = \frac{5}{4}$

Use a matrix to find the coordinates of the vertices of the image of each figure under the given reflection.

5. $\triangle QRS$ with $Q(-5, -4)$, $R(-1, -1)$, and $S(2, -6)$; x -axis
6. quadrilateral $VXYZ$ with $V(-4, -2)$, $X(-3, 4)$, $Y(2, 1)$, and $Z(4, -3)$; $y = x$

Use a matrix to find the coordinates of the vertices of the image of each figure under the given rotation.

7. $\square EFGH$ with $E(-5, -4)$, $F(-3, -1)$, $G(5, -1)$, and $H(3, -4)$; 90° counterclockwise
8. quadrilateral $PSTU$ with $P(-3, 5)$, $S(2, 6)$, $T(8, 1)$, and $U(-6, -4)$; 270° counterclockwise
9. **FORESTRY** A research botanist mapped a section of forested land on a coordinate grid to keep track of endangered plants in the region. The vertices of the map are $A(-2, 6)$, $B(9, 8)$, $C(14, 4)$, and $D(1, -1)$. After a month, the botanist has decided to decrease the research area to $\frac{3}{4}$ of its original size. If the center for the reduction is $O(0, 0)$, what are the coordinates of the new research area?

9-7 Reading to Learn Mathematics

Transformations with Matrices

Pre-Activity How can matrices be used to make movies?


Read the introduction to Lesson 9-7 at the top of page 506 in your textbook.

- What kind of transformation should be used to move a polygon?
- What kind of transformation should be used to resize a polygon?


Reading the Lesson

1. Write a vertex matrix for each figure.

a. $\triangle ABC$



b. parallelogram ABCD



2. Match each transformation from the first column with the corresponding matrix from the second or third column. In each case, the vertex matrix for the preimage of a figure is multiplied on the left by one of the matrices below to obtain the image of the figure. All rotations listed are counterclockwise through the origin. (Some matrices may be used more than once or not at all.)

- a. reflection over the y -axis
- b. 90° rotation
- c. reflection over the line $y = x$
- d. 270° rotation
- e. reflection over the origin
- f. 180° rotation
- g. reflection over the x -axis
- h. 360° rotation

i. $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$

v. $\begin{bmatrix} 0 & 1 \\ -1 & 0 \end{bmatrix}$

ii. $\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$

vi. $\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix}$

iii. $\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$

vii. $\begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$

iv. $\begin{bmatrix} 0 & -1 \\ -1 & 0 \end{bmatrix}$

viii. $\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix}$

Helping You Remember

3. How can you remember or quickly figure out the matrices for the transformations in Exercise 2?

9-7 Enrichment

Vector Addition

Vectors are physical quantities with magnitude and direction. Force and velocity are two examples. We will investigate adding vector quantities. The sum of two vectors is called a **resultant vector** or just the resultant.

Example

Two separate forces, one measuring 20 units and the other measuring 40 units, act on an object. If the angle between the forces is 50° , find the magnitude and direction of the resultant force.

First, the vectors must be rearranged by placing the tail of the 20-unit vector at the head of the 40-unit vector. Since these vectors are not perpendicular, the horizontal and vertical components of one of the vectors must be found. Using trigonometry, the horizontal component must be $(20 \cos 50^\circ)$ units and the vertical component must be $(20 \sin 50^\circ)$ units. Replacing the 20-unit vector with these components, we can now form two vectors perpendicular and use the Pythagorean Theorem to find the resultant.

$$r^2 = (40 + 20 \cos 50^\circ)^2 + (20 \sin 50^\circ)^2$$

$$r^2 \approx (52.9)^2 + (15.3)^2$$

$$r^2 \approx 3032.5$$

$$r \approx 55.1$$

$$\tan O = \frac{20 \sin 50^\circ}{40 + 20 \cos 50^\circ}$$





$$\approx 0.2898$$

$$m\angle O \approx 16$$

Therefore, the resultant force is 55.1 units directed 16° from the 40-unit force.

Solve. Round all angle measures to the nearest degree. Round all other measures to the nearest tenth.

- A plane flies due west at 250 kilometers per hour while the wind blows south at 70 kilometers per hour. Find the plane's resultant velocity.
- A plane flies east for 200 km, then 60° south of east for 80 km. Find the plane's distance and direction from its starting point.
- One force of 100 units acts on an object. Another force of 80 units acts on the object at a 40° angle from the first force. Find the resultant force on the object.



9 Chapter 9 Test, Form 1

Write the letter for the correct answer in the blank at the right of each question.

1. Given $A(3, -7)$, under which reflection is $A'(3, 7)$? 1. _____
 - A. reflection in the x -axis
 - B. reflection in the y -axis
 - C. reflection in the origin
 - D. reflection in $y = x$

 2. Name the image of \overline{BC} under reflection in line m . 2. _____
 - A. \overline{BC}
 - B. \overline{BA}
 - C. \overline{AC}
 - D. line ℓ
-
3. How many lines of symmetry does a square have? 3. _____
 - A. 0
 - B. 2
 - C. 4
 - D. 8

 4. Which of the following will result in a translation? 4. _____
 - A. reflecting in two parallel lines
 - B. reflecting in two intersecting lines
 - C. reflecting in two perpendicular lines
 - D. turning the figure upside down

 5. Which transformation moves all points the same distance in the same direction? 5. _____
 - A. rotation
 - B. translation
 - C. reflection
 - D. dilation

 6. What is the image of $X(3, 5)$ under the translation $(x, y) \rightarrow (x - 4, y + 6)$? 6. _____
 - A. $X'(7, -1)$
 - B. $X'(-1, -1)$
 - C. $X'(7, 11)$
 - D. $X'(-1, 11)$

 7. Find the measure of the angle between two intersecting lines if successive reflections in these lines creates a rotation of 80° . 7. _____
 - A. 180
 - B. 160
 - C. 80
 - D. 40

 8. Find the angle of rotation if the preimage is reflected in perpendicular lines. 8. _____
 - A. 45°
 - B. 90°
 - C. 180°
 - D. 360°


 9. Which figure could tessellate the plane? 9. _____
 - A. regular pentagon
 - B. regular hexagon
 - C. regular octagon
 - D. regular heptagon

 10. Which term describes this tessellation? 10. _____
 - A. regular
 - B. semi-regular
 - C. not uniform
 - D. uniform
-
11. What type of dilation occurs with a scale factor of $\frac{3}{2}$? 11. _____
 - A. enlargement
 - B. reduction
 - C. congruence transformation
 - D. inverse transformation

9 Chapter 9 Test, Form 1 *(continued)*

12. If $\triangle A'B'C'$ is the image of $\triangle ABC$ under a dilation with center at $(0, 0)$. Find the scale factor.

- A. 3
 B. $\frac{2}{3}$
 C. $\frac{1}{3}$
 D. $-\frac{1}{3}$



12. _____

13. Joe's old graphing calculator had 96 pixels across the screen. His new calculator has 144 pixels. Find the scale factor by which he increased his screen size.

- A. $\frac{1}{2}$ B. $\frac{2}{3}$ C. $\frac{3}{2}$ D. 48

13. _____

14. Find the component form of \overrightarrow{AB} with $A(2, 3)$ and $B(-4, 6)$.

- A. $\langle -2, 9 \rangle$ B. $\langle 2, -9 \rangle$ C. $\langle -6, 3 \rangle$ D. $\langle 6, -3 \rangle$

14. _____

15. Find the magnitude of \overrightarrow{AB} with $A(3, 4)$ and $B(-1, 7)$.

- A. $\langle 4, -3 \rangle$ B. 5 C. $\sqrt{13}$ D. 25

15. _____

16. Find the direction of \overrightarrow{AB} with $A(3, 4)$ and $B(-1, 7)$ to the nearest tenth.

- A. 36.9° B. 53.1° C. 126.9° D. 143.1°

16. _____

17. Find the image of $A(3, 7)$ under a translation by $\vec{a} = \langle -4, 2 \rangle$.

- A. $A'(-7, -5)$ B. $A'(-1, 9)$ C. $A'(7, 5)$ D. $A'(1, -9)$

17. _____

18. Which translation matrix could be used to translate $\triangle ABC$ 5 units to the right and 7 units up?

- A. $\begin{bmatrix} 5 & 5 & 5 \\ 7 & 7 & 7 \end{bmatrix}$ B. $\begin{bmatrix} -5 & -5 & -5 \\ 7 & 7 & 7 \end{bmatrix}$ C. $\begin{bmatrix} 5 & 5 & 5 \\ -7 & -7 & -7 \end{bmatrix}$ D. $\begin{bmatrix} -5 & -5 & -5 \\ -7 & -7 & -7 \end{bmatrix}$

18. _____

19. Find the coordinates of X' with $X(6, 5)$ for a dilation centered at the origin with a scale factor of -2 .

- A. $X'(-10, -12)$ B. $X'(10, 12)$ C. $X'(12, 10)$ D. $X'(-12, -10)$


19. _____

20. Which reflection matrix could you use to reflect a figure in the x -axis?

- A. $\begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$ B. $\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix}$ C. $\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$ D. $\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$

20. _____

Bonus Describe a rotation that moves triangle 1 to triangle 2.




B: _____

9 Chapter 9 Test, Form 2A

Write the letter for the correct answer in the blank at the right of each question.

1. Given $B(-4, -6)$, under which reflection is $B'(4, 6)$? 1. _____
A. reflected in the x -axis **B.** reflected in the y -axis
C. reflected in the origin **D.** reflected in $y = x$

2. Name the image of \overline{EF} under reflection in line ℓ . 2. _____
A. \overline{FG} **B.** \overline{HG}
C. \overline{EH} **D.** \overline{FE}



3. How many lines of symmetry does a regular decagon have? 3. _____
A. 0 **B.** 2 **C.** 5 **D.** 10

4. Which property is changed by a translation? 4. _____
A. collinearity **B.** angle measure
C. distance measure **D.** position


5. What is the image of $Y(-4, 7)$ under the translation $(x, y) \rightarrow (x + 3, y - 5)$? 5. _____
A. $Y'(-1, 2)$ **B.** $Y'(-1, 12)$ **C.** $Y'(-7, 2)$ **D.** $Y'(-7, 12)$

6. What is a transformation called that turns every point of the preimage through a specified angle and direction about a fixed point? 6. _____
A. reflection **B.** rotation **C.** translation **D.** dilation

7. Find the angle of rotation for a figure reflected in two lines that intersect to form a 72° angle. 7. _____
A. 36° **B.** 72° **C.** 144° **D.** 288°

8. Find the sum of the measures of the angles of the polygons in a tessellation at a vertex. 8. _____
A. 90 **B.** 180 **C.** 360 **D.** 720

9. Describe this tessellation. 9. _____
A. uniform and regular
B. uniform and semi-regular
C. not uniform but regular
D. not uniform and semi-regular




10. What type of dilation occurs with a scale factor of $\frac{1}{4}$? 10. _____
A. enlargement **B.** reduction
C. congruence transformation **D.** inverse transformation

9 Chapter 9 Test, Form 2A *(continued)*

11. Find the scale factor if $\triangle D'E'F'$ is the image of $\triangle DEF$ under a dilation with center C .

- A. 2
 B. 1
 C. -1
 D. -2



11. _____

12. Sue scans a 4-inch picture into her computer. She stretches the picture's length to 10 inches. Find the scale factor she used.

- A. 6
 B. $\frac{5}{2}$
 C. 2
 D. $\frac{2}{5}$

12. _____

13. Find the component form of \overrightarrow{CD} with $C(5, -7)$ and $D(-3, 9)$.

- A. $\langle -2, 2 \rangle$
 B. $\langle 2, 2 \rangle$
 C. $\langle 8, -16 \rangle$
 D. $\langle -8, 16 \rangle$

13. _____

14. Find the magnitude of \overrightarrow{CD} with $C(5, 2)$ and $D(-1, 6)$.

- A. $\langle -6, 4 \rangle$
 B. $2\sqrt{13}$
 C. $4\sqrt{5}$
 D. 10

14. _____

15. Find the direction of \overrightarrow{CD} with $C(5, 2)$ and $D(-1, 6)$ to the nearest tenth.

- A. 33.7°
 B. 56.3°
 C. 123.7°
 D. 146.3°

15. _____

16. Find the image of $P(-2, 4)$ under a translation by the vector $\vec{b} = \langle 6, 5 \rangle$.

- A. $P'(4, 9)$
 B. $P'(-4, -9)$
 C. $P'(-8, -1)$
 D. $P'(8, 1)$

16. _____

17. $HIJK$ is a trapezoid with $H(5, 4)$, $I(10, -2)$, $J(-8, -2)$, and $K(-3, 4)$. Find the coordinates of the image of H under $(x, y) \rightarrow (x + 10, y - 11)$.

- A. $(20, -13)$
 B. $(15, -7)$
 C. $(-5, 15)$
 D. $(7, -7)$

17. _____

18. The vertex matrix of a figure is multiplied on the left by $\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix}$. Find the angle of rotation about the origin.

- A. 90° counterclockwise
 B. 180° counterclockwise
 C. 270° counterclockwise
 D. 360° counterclockwise

18. _____

19. Find the matrix that is used to rotate a figure 270° counterclockwise about the origin.

- A. $\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix}$
 B. $\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$
 C. $\begin{bmatrix} 0 & 1 \\ -1 & 0 \end{bmatrix}$
 D. $\begin{bmatrix} 0 & -1 \\ -1 & 0 \end{bmatrix}$

19. _____

20. Find the matrix you could use to reflect a figure in the origin.

- A. $\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix}$
 B. $\begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$
 C. $\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$
 D. $\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$

20. _____

Bonus Find a vector in component form with magnitude 1 in a direction opposite to $\vec{a} = \langle -3, -4 \rangle$.

B: _____

9 Chapter 9 Test, Form 2B


Write the letter for the correct answer in the blank at the right of each question.

1. Given $C(2, 9)$, under which reflection is $C'(9, 2)$? 1. _____

- A. reflected in the x -axis B. reflected in the y -axis
 C. reflected in the origin D. reflected in $y = x$

2. Name the image of \overline{KL} under reflection in point N . 2. _____

- A. \overline{LK} B. \overline{ML}
 C. \overline{MJ} D. \overline{JK}



3. How many lines of symmetry does a regular 12-gon have? 3. _____

- A. 4 B. 6 C. 12 D. 24

4. Which of the following figures shows a translation? 4. _____

- A. B.
 C. D.

5. Name the image of $C(6, -4)$ under rotation 90° counterclockwise about the origin. 5. _____

- A. $C'(4, 6)$ B. $C'(-4, -6)$ C. $C'(6, 4)$ D. $C'(-6, -4)$

6. Name the image of $Z(-11, -6)$ under the translation $(x, y) \rightarrow (x + 1, y + 7)$. 6. _____

- A. $Z'(-12, 1)$ B. $Z'(-12, -13)$ C. $Z'(-10, 1)$ D. $Z'(-10, -13)$

7. Find the angle of rotation of a figure that is reflected in two lines that intersect to form a 66° angle. 7. _____


- A. 264° B. 132° C. 66° D. 33°

8. Which could be used to create a regular tessellation? 8. _____

- A. square B. rectangle C. trapezoid D. all of these

9. Describe this tessellation. 9. _____

- A. uniform and regular
 B. uniform and semi-regular
 C. not uniform but regular
 D. not uniform and semi-regular



10. What type of dilation occurs with a scale factor of 1? 10. _____


- A. enlargement B. reduction
 C. congruence transformation D. inverse transformation

9

Chapter 9 Test, Form 2B *(continued)*

11. Find the scale factor if $\triangle X'Y'Z'$ is the image of $\triangle XYZ$ under a dilation with center C .

- A. 6
 B. 3
 C. 2
 D. $\frac{1}{3}$



11. _____

12. Stella carved an equilateral triangle that is 3 centimeters on each side of a pumpkin. Then she carved another equilateral triangle that is 5 centimeters on each side. What scale factor did Stella use to increase the size of the triangle?

- A. 2
 B. $\frac{5}{3}$
 C. $\frac{2}{3}$
 D. $\frac{3}{5}$

12. _____

13. Find the component form of \overrightarrow{EF} with $E(-11, -3)$ and $F(7, -4)$.

- A. $\langle -18, 1 \rangle$
 B. $\langle 18, -1 \rangle$
 C. $\langle -4, -7 \rangle$
 D. $\langle 4, 7 \rangle$

13. _____

14. Find the magnitude of \overline{GH} with $G(-3, 0)$ and $H(4, 5)$.

- A. $\langle -7, -5 \rangle$
 B. $\langle 7, 5 \rangle$
 C. $\sqrt{26}$
 D. $\sqrt{74}$

14. _____

15. Find the direction of \overline{GH} with $G(-3, 0)$ and $H(4, 5)$ to the nearest tenth.

- A. 35.5°
 B. 54.5°
 C. 125.5°
 D. 144.5°

15. _____

16. Find the image of $D(3, 4)$ under a translation by the vector $\vec{c} = \langle -7, -2 \rangle$.

- A. $D'(10, 6)$
 B. $D'(-10, -6)$
 C. $D'(4, -2)$
 D. $D'(-4, 2)$

16. _____

17. Find the image $Y(-7, 4)$ for a dilation centered at the origin with a scale factor of -3 .

- A. $Y'(-21, 12)$
 B. $Y'(21, -12)$
 C. $Y'(12, -21)$
 D. $Y'(-12, 21)$

17. _____

18. $LMNO$ is a trapezoid with $L(-1, 4)$, $M(5, 12)$, $N(5, -3)$, and $O(-1, -5)$. Find the coordinates for the image of N under the translation $(x, y) \rightarrow (x - 7, y + 9)$.

- A. $(-2, 6)$
 B. $(12, -12)$
 C. $(-8, 13)$
 D. $(-2, 21)$

18. _____

19. If you multiply a vertex matrix of a figure on the left by $\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$, under a rotation counterclockwise about the origin, of what magnitude will you find the vertices of the image?

- A. 90°
 B. 180°
 C. 270°
 D. 360°

19. _____

20. To reflect a figure in the line $y = x$ you can multiply a vertex matrix of a figure on the left by which of the following matrices?

- A. $\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix}$
 B. $\begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$
 C. $\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$
 D. $\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$

20. _____

Bonus Find a vector in component form in the same direction as $\langle -3, -4 \rangle$ with magnitude 15.

B: _____


9 Chapter 9 Test, Form 2C

1. Write the coordinates of the image of $P(-2, 5)$ reflected in the line $y = x$.


1. _____

2. Graph $\triangle ABC$ with vertices $A(4, 4)$, $B(3, -2)$, and $C(-1, -1)$. Then graph the image of $\triangle ABC$ reflected in the y -axis.

2. _____




3. How many lines of symmetry does this figure have?



3. _____

4. Determine whether $\triangle A''B''C''$ is a translation image of $\triangle ABC$. Explain your answer.



4. _____

5. Find the image of \overline{WX} with $W(7, 1)$ and $X(-4, 5)$ under the translation $(x, y) \rightarrow (x - 4, y - 3)$.

5. _____

6. Find the image of \overline{AB} with $A(-3, 1)$ and $B(-1, 5)$ under a rotation of 90° clockwise about the origin.

6. _____


7. Find the coordinates of L'' if $\triangle LMN$ with $L(3, 1)$, $M(-1, 6)$, and $N(-3, 2)$ is reflected in the line $y = x$ and then in the x -axis.

7. _____

8. Determine whether a regular 12-gon tessellates the plane. Explain.

8. _____

9. Describe this tessellation as *uniform*, *not uniform*, *regular*, or *semi-regular*.



9. _____


10. If $AB = 10$ and $A'B' = 5$, is the dilation an *enlargement*, *reduction*, or *congruence transformation*?

10. _____

9 Chapter 9 Test, Form 2C *(continued)*

11. Find the measure of the image of \overline{ST} if $ST = 4$ under a dilation with a scale factor of $\frac{3}{4}$. 11. _____

12. Draw the image of $\triangle MNO$ under a dilation with center C and a scale factor of 2. 12.




13. If $ST = 12$ and $S'T' = 9$, find the scale factor of the dilation. 13. _____

14. Find the direction of $\vec{n} = \langle -7, -3 \rangle$ to the nearest tenth. 14. _____

15. Find the magnitude of $\vec{k} = \langle 6, 8 \rangle$. 15. _____

16. Write the component form of \overrightarrow{AB} . 16. _____



17. If \vec{a} and \vec{m} have opposite directions, are they parallel? 17. _____

18. Find the image of the point at $(5, 1)$ under the translation by $\vec{m} = \langle -9, 6 \rangle$. 18. _____

19. Use a matrix to find the coordinates of the vertices of the image of $\triangle EFG$ with $E(6, 1)$, $F(-1, -3)$, and $G(2, 4)$, under the translation $(x, y) \rightarrow (x + 3, y - 2)$. 19. _____


20. Use a matrix to find the coordinates of the vertices of the image of $\triangle ABC$ with $A(0, 2)$, $B(3, 6)$, and $C(5, 0)$, after a reflection in the y -axis. 20. _____

Bonus An airplane is flying at 400 miles per hour due west. The wind is blowing from due north at 30 miles per hour. Find the resultant speed and direction of the plane. B: _____

9 Chapter 9 Test, Form 2D


- Write the coordinates of the image of $Q(-3, -6)$ reflected in the origin.
- Graph $\triangle PQR$ with vertices $P(3, 4)$, $Q(5, -1)$, and $R(-3, 0)$. Then graph the image of $\triangle PQR$ reflected in the x -axis.

1. _____




2. _____

- How many lines of symmetry does this figure have?



3. _____

- Determine whether $W''X''Y''Z''$ is a translation image of $WXYZ$. Explain.



4. _____

- Find the image of \overline{UV} with $U(-3, 5)$ and $V(0, 8)$ under the translation $(x, y) \rightarrow (x + 2, y - 5)$.

5. _____

- Find the image of \overline{CD} with $C(0, 4)$ and $D(3, 4)$ under a rotation of 90° counterclockwise about the origin.

6. _____


- Find the coordinates of Q'' if $\triangle OPQ$ with $O(4, 2)$, $P(5, 0)$, and $Q(1, -2)$ is reflected in the x -axis and then in the y -axis.

7. _____

- Determine whether a regular 15-gon tessellates the plane. Explain.

8. _____

- Describe this tessellation as *uniform*, *not uniform*, *regular*, or *semi-regular*.



9. _____


- If $CD = 3$ and $C''D'' = 8$, is the dilation an *enlargement*, *reduction*, or *congruence transformation*?

10. _____

9 Chapter 9 Test, Form 2D *(continued)*

11. Find the measure of the image of \overline{GH} if $GH = 7$ under a dilation with a scale factor of 5. 11. _____

12. Draw the image of $\triangle CDE$ under dilation with center G and a scale factor of $\frac{1}{3}$. 12.




13. Find the scale factor of the dilation if $OP = 15$ and $O'P' = 20$. 13. _____

14. Find the direction of $\vec{v} = \langle -6, -4 \rangle$ to the nearest tenth. 14. _____

15. Find the magnitude of $\vec{I} = \langle 5, 12 \rangle$. 15. _____

16. Write the component form of \vec{EF} . 16. _____



17. If \vec{w} and \vec{x} are equal, do they have the same magnitude and direction? 17. _____

18. Find the image of the point at $(-11, -7)$ under a translation by $\vec{r} = \langle -2, 3 \rangle$. 18. _____

19. Use a matrix to find the coordinates of the vertices of the image of $\triangle JKL$ with $J(-5, 4)$, $K(6, 8)$, and $L(-2, -3)$, under the translation $(x, y) \rightarrow (x + 6, y - 5)$. 19. _____


20. Use a matrix to find the coordinates of the vertices of the image of $\triangle DEF$ with $D(-2, 1)$, $E(-1, 6)$, and $F(3, 2)$, after a reflection in the x -axis. 20. _____

Bonus An airplane is flying at 300 miles per hour due south. The wind is blowing from due west at 40 miles per hour. Find the resultant speed and direction of the plane. B: _____

9 Chapter 9 Test, Form 3


1. Draw the lines of symmetry.

1.



2. Graph $\triangle TUV$ with vertices $T(3, 3)$, $U(6, -1)$, and $V(-2, 1)$. Then graph the image of $\triangle TUV$ reflected in the line $y = 2$.

2.




3. Name two properties that are preserved by a reflection.

3. _____

4. Draw the translation image of $\triangle ABC$ in lines ℓ and m .

4.



5. Find the preimage of $\overline{C'D'}$ with $C'(4, 6)$ and $D'(-1, 2)$ under the translation $(x, y) \rightarrow (x + 3, y - 7)$.

5. _____

6. Identify the order and magnitude of the rotational symmetry in a regular 20-gon.

6. _____


7. Find the coordinates of the image and the measure of the angle of rotation if $\triangle RST$ with $R(5, 3)$, $S(7, 8)$, and $T(10, 1)$ is reflected in the line $y = x$ and then in the x -axis.

7. _____

8. Determine whether a regular decagon can tessellate a plane. Explain.

8. _____

9. Describe this tessellation as *uniform*, *not uniform*, *regular*, or *semi-regular*.



9. _____


10. Find the measure of the dilation image of \overline{PQ} if $PQ = 12$ under a dilation with a scale factor of $-\frac{3}{4}$.

10. _____

9 Chapter 9 Test, Form 3 *(continued)*

11. Draw the image of this figure under a dilation with center C and a scale factor of $\frac{1}{3}$.

11.



12. An 11-inch by 14-inch picture is being reduced on a printer by a scale factor of 60%. Find the dimensions of the image.

12. _____

13. If $WX = \frac{2}{3}$ and $W'X' = \frac{4}{5}$, find the scale factor of the dilation.

13. _____

14. Name the series of reflections that would result in the same image as a figure rotated 180° counterclockwise about the origin.

14. _____

15. Find the direction of $\vec{p} = \langle 6, -3 \rangle$ to the nearest tenth.

15. _____

16. Find the magnitude of $\vec{m} = \langle -7, 2 \rangle$ to the nearest tenth.

16. _____

17. Write the component form of \vec{XY} with $X(-11, -3)$, and $Y(-8, 5)$.

17. _____

18. Find the image of the point at $(4, -7)$ under the translation by $\vec{w} = \langle a, b \rangle$.

18. _____

19. Use matrices to find the coordinates of the image of $\triangle JKL$ with $J(-6, -2)$, $K(2, 10)$, and $L(-2, -2)$, under a dilation with a scale factor of $-\frac{1}{2}$, then a reflection in the line $y = x$, then the translation $(x, y) \rightarrow (x - 3, y + 2)$.

19. _____

20. Use a matrix to find the coordinates of the vertices of the image of $\triangle GHI$ with $G(-5, -4)$, $H(1, 1)$, and $I(6, -2)$, after a reflection in the origin.


20. _____

Bonus $D(0, 6)$ is rotated 30° clockwise about the origin. Find the coordinates of its image.


B: _____

Demonstrate your knowledge by giving a clear, concise solution to each problem. Be sure to include all relevant drawings and justify your answers. You may show your solution in more than one way or investigate beyond the requirements of the problem.

1. Draw a uniform regular tessellation. Explain why your figure fits this category.
2. Name an object that has at least one line of symmetry. Describe the lines of symmetry in this object.
3. **a.** Show the matrix used to determine the vertices of a figure's image after a rotation of 90° counterclockwise about the origin.
b. Find the coordinates of the image of $B(1, 0)$ rotated 90° counterclockwise about the origin.
c. Find the coordinates of the image of $A(0, 1)$ rotated 90° counterclockwise about the origin.
d. Compare the answers in parts **b** and **c** to the answer in part **a**.
4. Draw a tessellation that is not uniform.
5. Graph $\triangle ABC$ and label the coordinates of its vertices. Find the image of $\triangle ABC$ under a composition of a reflection, rotation, translation, and dilation. Name the transformations you used.



6. Draw \overline{CD} with one endpoint at the origin and the other in the first quadrant. Find the magnitude and direction of \overline{CD} to the nearest tenth.



9 Chapter 9 Vocabulary Test/Review

angle of rotation	glide reflection	reflection matrix	similarity transformation
center of rotation	indirect isometry	regular tessellation	standard position
column matrix	isometry	resultant	tessellation
component form	line of reflection	rotation	transformation
composition of reflections	line of symmetry	rotation matrix	translation
congruence transformation	magnitude	rotational symmetry	translation matrix
dilation	parallel vectors	scalar	uniform
direct isometry	point of symmetry	scalar multiplication	vector
direction	reflection	semi-regular tessellation	vertex matrix
equal vectors			

Choose from the terms above to complete each sentence.

1. A congruence transformation is called a(n) ____?____. 1. _____
2. A transformation representing a flip of a figure is called a(n) ____?____. 2. _____
3. A(n) ____?____ is a transformation that turns every point of a preimage through a specified angle and direction about a fixed point. 3. _____
4. A vector is in ____?____ when the initial point is at the origin. 4. _____
5. A(n) ____?____ is a transformation that moves all points of a figure the same distance in the same direction. 5. _____
6. A(n) ____?____ is a directed segment representing a quantity. 6. _____
7. When a figure can be folded so that the two halves match exactly, the fold is called a(n) ____?____. 7. _____
8. A(n) ____?____ is a transformation that requires a center point and a scale factor. 8. _____
9. Two vectors are ____?____ if and only if they have the same or opposite directions. 9. _____
10. Expressing a vector as an ordered pair is the ____?____ of the vector. 10. _____

Define each term.


11. center of rotation 11. _____
12. scalar 12. _____
13. tessellation 13. _____

9 Chapter 9 Quiz

(Lessons 9-1 and 9-2)

SCORE _____

1. Name the coordinates of the image of $Q(6, -4)$ reflected in the x -axis. 1. _____
2. How many lines of symmetry does an isosceles triangle have? 2. _____
3. Why is $\triangle A'B'C'$ with vertices $A'(-1, -2)$, $B'(0, 0)$, and $C'(-6, 0)$ not a translation image of $\triangle ABC$ with $A(1, 2)$, $B(0, 0)$, and $C(6, 0)$? 3. _____
4. Complete this statement. The image of $A(-3, -5)$ under $(x, y) \rightarrow \underline{\hspace{1cm}}? is $A'(6, -1)$. 4. _____$
5. Draw the image of $\triangle PQR$ with $P(0, 4)$, $Q(2, 8)$, and $R(-3, 6)$ reflected in the line $x = 1$. 5. _____




9 Chapter 9 Quiz

(Lessons 9-3 and 9-4)

SCORE _____

1. Find the image of $A(-2, 3)$ reflected in the line $y = -x$ and then in the x -axis. 1. _____
2. Draw the image of $\triangle PQR$ under a rotation 45° clockwise about point T . 2. _____
3. Determine whether a scalene triangle will tessellate the plane. 3. _____
4. Determine whether a regular octagon and a square, both having sides 2 units long, can be used to draw a semi-regular tessellation. 4. _____
5. A figure is reflected in two intersecting lines forming a rotation of magnitude 84° . Find the measure of the acute angle formed by the intersecting lines of reflection. 5. _____




9 Chapter 9 Quiz

(Lessons 9-5 and 9-6)

SCORE _____

1. Name a property that is *not* preserved by a dilation. 1. _____
2. $\triangle XYZ$ has vertices $X(-1, 3)$, $Y(5, 7)$, and $Z(2, -4)$. Find the coordinates of the image of $\triangle XYZ$ after a dilation centered at the origin with a scale factor of 4. 2. _____
3. Find the magnitude and direction to the nearest degree of $\vec{x} = \langle 1, -4 \rangle$. 3. _____
4. Graph the image of $\triangle DEF$ with vertices $D(-1, 2)$, $E(1, 0)$, and $F(-3, -2)$ under a translation by $\vec{w} = \langle 0, 2 \rangle$. 4. _____



5. **STANDARDIZED TEST PRACTICE** Reva wants to enlarge a 3-inch by 4-inch picture by a scale factor of 2.5. Find the dimensions of the enlarged image. 5. _____
 - A. 6 in. by 8 in.
 - B. 7.5 in. by 10 in.
 - C. 8 in. by 10 in.
 - D. 9 in. by 12 in.

9 Chapter 9 Quiz

(Lesson 9-7)

SCORE _____

1. Use scalar multiplication to dilate \overline{YZ} with $Z(-2, 3)$ and $Y(-1, 4)$ so that its length is 4 times the length of \overline{YZ} . 1. _____
2. Use a matrix to find the coordinates of the vertices of the image of $\triangle MNO$ with $M(-5, 4)$, $N(-3, 3)$, and $O(-4, 7)$ under the translation $(x, y) \rightarrow (x - 2, y - 1)$. 2. _____
3. Use a matrix to find the coordinates of the vertices of the image of $\triangle ABC$ with $A(-3, -1)$, $B(8, 2)$, and $C(5, 7)$ after a reflection in the y -axis. 3. _____
4. Find the coordinates of the image of $\triangle DEF$ with $D(2, 3)$, $E(4, -1)$, and $F(-2, -3)$ after a dilation with a scale factor of $\frac{1}{2}$ and then a reflection in the x -axis. 4. _____
5. Name the matrix by which you would multiply a vertex matrix of a figure on the left to find the figure's image under a rotation 90° counterclockwise about the origin. 5. _____


Chapter 9 Mid-Chapter Test

(Lessons 9–1 through 9–4)

Part I Write the letter for the correct answer in the blank at the right of each question.

- How many lines of symmetry does a parallelogram have? **1.** _____
 A. 0 B. 1 C. 2 D. 4
- Which translation moves every point of a preimage 4 units left and 6 units up? **2.** _____
 A. $(x, y) \rightarrow (x + 4, y - 6)$ B. $(x, y) \rightarrow (x - 4, y + 6)$
 C. $(x, y) \rightarrow (x - 6, y + 4)$ D. $(x, y) \rightarrow (x + 6, y - 4)$
- Find the magnitude of the rotational symmetry in a square. **3.** _____
 A. 45° B. 90° C. 180° D. 360°
- Which pair of figures could be used to create a semi-regular tessellation? **4.** _____
 A. trapezoid, square B. kite, square
 C. equilateral triangle, square D. rectangle, square
- Which action represents the reflection of a figure? **5.** _____
 A. slide B. shift C. turn D. flip

Part II

- Write the coordinates of the image of $S(-7, 1)$ reflected in the y -axis. **6.** _____
- $DEFG$ is a square with $D(1, 1)$, $E(1, 6)$, $F(6, 6)$, and $G(6, 1)$ and is first reflected in the line $x = 1$ and then in the y -axis. Find the coordinates of D'' , E'' , F'' , and G'' . **7.** _____
- Determine whether $\triangle P'Q'R'$ is a translation image of $\triangle PQR$. Explain. **8.** _____

- Find the image of $B(4, 7)$ reflected in the y -axis and then in the line $y = -x$. **9.** _____
- Determine whether a regular 30-gon will tessellate the plane. Explain. **10.** _____

9

Chapter 9 Cumulative Review

(Chapters 1–9)


SCORE _____

1. If $\angle T$ and $\angle S$ form a linear pair and $m\angle T$ is twelve more than eleven times $m\angle S$, find $m\angle T$ and $m\angle S$. (Lesson 1-5) 1. _____

2. Determine whether the statement *If $\overline{CD} \cong \overline{DE}$, then D is the midpoint of \overline{CE}* is always, sometimes, or never true. (Lesson 2-5) 2. _____

3. Find the distance between the parallel lines ℓ and m whose equations are $y = x - 6$ and $y = x + 2$, respectively. (Lesson 3-6) 3. _____


4. Name the missing coordinates of isosceles $\triangle DFG$ with a base n units long. (Lesson 4-7)




4. _____

5. Two sides of a triangle measure 45 inches and 68 inches, and the length of the third side measures x inches. Find the range for x . (Lesson 5-4) 5. _____

6. Find x so that $\overline{WV} \parallel \overline{YZ}$. (Lesson 6-4)



7. Find b . (Lesson 7-1)




6. _____

7. _____

8. In $\triangle STV$, $s = 40$, $t = 52$, and $m\angle T = 82$. Find $m\angle S$, $m\angle V$, and v to the nearest tenth. (Lesson 7-7) 8. _____


9. Determine whether $ABCD$ is a rectangle with vertices $A(2, 8)$, $B(0, 1)$, $C(1, -8)$, and $D(5, 6)$. Justify your answer. (Lesson 8-4) 9. _____

10. Find a , b , and $m\angle HJK$ if $HJKL$ is a parallelogram. (Lesson 8-5)



10. _____

11. Draw the image of $\triangle PQR$ under a 90° counterclockwise rotation about $M(-1, 2)$. (Lesson 9-3) 11. _____



12. Write the component form of \overrightarrow{AB} with $A(-4, 7)$ and $B(9, -2)$. (Lesson 9-6) 12. _____

Part 1: Multiple Choice

Instructions: Fill in the appropriate oval for the best answer.

1. Which statement has a false converse? (Lesson 2-3) 1. (A) (B) (C) (D)
- A. If a quadrilateral is a rectangle, then the diagonals of the quadrilateral are congruent.
- B. If a quadrilateral has diagonals that bisect each other, then the quadrilateral is a parallelogram.
- C. If a quadrilateral is a rectangle, then all angles of the quadrilateral are right angles.
- D. If a quadrilateral is a parallelogram, then both pairs of opposite sides of the quadrilateral are congruent.


2. If $\triangle FGH$ is an isosceles triangle with $\angle G$ as the vertex angle and $m\angle G = 52$, find $m\angle F$ and $m\angle H$. (Lesson 4-6) 2. (E) (F) (G) (H)
- E. $m\angle F = 72, m\angle H = 56$ F. $m\angle F = 64, m\angle H = 64$
- G. $m\angle F = 52, m\angle H = 76$ H. $m\angle F = 40, m\angle H = 88$

3. What can you conclude from the figure? (Lesson 5-5)
- A. $m\angle W > m\angle D$ by SSS Inequality
- B. $m\angle G > m\angle V$ by SSS Inequality
- C. $DF > WV$ by SAS Inequality
- D. $GF > VT$ by SAS Inequality



3. (A) (B) (C) (D)

4. Find x . (Lesson 6-3)
- E. 8.68 F. 20.25
- G. 31.24 H. 42.31




4. (E) (F) (G) (H)

5. If \overline{QR} is the hypotenuse of right $\triangle PQR$, $PQ = 18$, and $QR = 24$, find RP . (Lesson 7-2)
- A. $\sqrt{63}$ B. $\sqrt{252}$ C. 30 D. 60

5. (A) (B) (C) (D)

6. If \overline{AB} is a median of trapezoid $WXYZ$, find $m\angle 1$, $m\angle 2$, and $m\angle 3$. (Lesson 8-6)
- E. $m\angle 1 = 72, m\angle 2 = 108, m\angle 3 = 72$
- F. $m\angle 1 = 108, m\angle 2 = 72, m\angle 3 = 72$
- G. $m\angle 1 = 108, m\angle 2 = 72, m\angle 3 = 108$
- H. $m\angle 1 = 108, m\angle 2 = 108, m\angle 3 = 72$



6. (E) (F) (G) (H)

7. If $A(c, d)$ is reflected in the y -axis, find the coordinates of A' . (Lesson 9-1) 7. (A) (B) (C) (D)
- A. $A'(c, -d)$ B. $A'(-c, d)$ C. $A'(-c, -d)$ D. $A'(d, c)$

9


Standardized Test Practice (continued)

Part 2: Grid In

Instructions: Enter your answer by writing each digit of the answer in a column box and then shading in the appropriate oval that corresponds to that entry.


8. Find x so that the line containing $(-7, 8)$ and $(6, x)$ is perpendicular to \overline{RT} with $R(3, 9)$ and $T(4, -4)$. (Lesson 3-3)

9. Find x . (Lesson 4-2)



10. Quadrilateral $QRTV \sim$ quadrilateral $HJKL$, $QR = 5$, $RT = 10$, $JK = 14$, and $KL = 8$. Find the scale factor as a fraction of quadrilateral $QRTV$ to quadrilateral $HJKL$. (Lesson 6-2)

11. Find $\cos M$. (Lesson 7-4)



12. Find the measure of the preimage of dilated \overline{JK} if $J'K' = 62$ and $r = -\frac{1}{3}$. (Lesson 9-5)

8.

.	.	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

9.

.	.	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

10.

.	.	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

11.

.	.	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

12.

.	.	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Part 3: Short Response

Instructions: Show your work or explain in words how you found your answer.

13. Two parallel lines are cut by a transversal, $\angle 1$ and $\angle 2$ are consecutive interior angles, $m\angle 1 = 6y + 5$, and $m\angle 2 = 10y - 17$. Find $m\angle 1$ and $m\angle 2$. (Lesson 3-2) 13. _____
14. Parallelogram $ABCD$ has vertices $A(c, a)$, $C(b, 0)$, and $D(0, 0)$. Find the coordinates for vertex B . (Lesson 8-7) 14. _____
15. Triangle DEF with $D(7, -12)$, $E(2, 10)$, and $F(-11, -8)$ is translated so that $D'(12, -16)$. Find the coordinates of E' and F' . (Lesson 9-2) 15. _____

9

Standardized Test Practice

Student Record Sheet (Use with pages 518–519 of the Student Edition.)

Part 1 Multiple Choice

Select the best answer from the choices given and fill in the corresponding oval.

1 (A) (B) (C) (D)

4 (A) (B) (C) (D)

7 (A) (B) (C) (D)

2 (A) (B) (C) (D)

5 (A) (B) (C) (D)

3 (A) (B) (C) (D)

6 (A) (B) (C) (D)

Part 2 Short Response/Grid In

Solve the problem and write your answer in the blank.

For Questions 10 and 11, also enter your answer by writing each number or symbol in a box. Then fill in the corresponding oval for that number or symbol.

8 _____

9 _____ (grid in)

10 _____ (grid in)

9

	/	/	
.	.	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

10

	/	/	
.	.	.	.
0	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

Part 3 Open-Ended

Record your answers for Questions 11–12 on the back of this paper.


9-1 Study Guide and Intervention (continued)

Reflections

Lines and Points of Symmetry If a figure has a **line of symmetry**, then it can be folded along that line so that the two halves match. If a figure has a **point of symmetry**, it is the midpoint of all segments between the preimage and image points.

Example Determine how many lines of symmetry a regular hexagon has. Then determine whether a regular hexagon has point symmetry.

There are six lines of symmetry, three that are diagonals through opposite vertices and three that are perpendicular bisectors of opposite sides. The hexagon has point symmetry because any line through P identifies two points on the hexagon that can be considered images of each other.



Exercises

Determine how many lines of symmetry each figure has. Then determine whether the figure has point symmetry.


- 4; yes**
- 5; no**
- 2; yes**
- 0; no**
- 1; no**
- 0; no**
- 1; no**
- 1; no**
- 2; yes**
- 2; yes**

9-1 Study Guide and Intervention

Reflections

Draw Reflections The transformation called a **reflection** is a flip of a figure in a point, a line, or a plane. The new figure is the **image** and the original figure is the **preimage**. The preimage and image are congruent, so a reflection is a **congruence transformation** or **isometry**.

Example 1 Construct the image of quadrilateral $ABCD$ under a reflection in line m .



Draw a perpendicular from each vertex of the quadrilateral to m . Find vertices A' , B' , C' , and D' that are the same distance from m on the other side of m . The image is $A'B'C'D'$.

In Example 2, the notation $(a, b) \rightarrow (a, -b)$ represents a reflection in the x -axis. Here are three other common reflections in the coordinate plane.

- in the y -axis: $(a, b) \rightarrow (-a, b)$
- in the line $y = x$: $(a, b) \rightarrow (b, a)$
- in the origin: $(a, b) \rightarrow (-a, -b)$



Exercises

Draw the image of each figure under a reflection in line m .

-
-
-

Graph each figure and its image under the given reflection.

- $\triangle DEF$ with $D(-2, -1)$, $E(-1, 3)$, $F(3, -1)$ in the x -axis
- $ABCD$ with $A(1, 4)$, $B(3, 2)$, $C(2, -2)$, $D(-3, 1)$ in the y -axis



NAME _____ DATE _____ PERIOD _____


9-1 Skills Practice Reflections

Draw the image of each figure under a reflection in line ℓ .




COORDINATE GEOMETRY Graph each figure and its image under the given reflection.


3. $\triangle ABC$ with vertices $A(-3, 2)$, $B(0, 1)$, and $C(-2, -3)$ in the origin




4. trapezoid $DEFG$ with vertices $D(0, -3)$, $E(1, 3)$, $F(3, 3)$, and $G(4, -3)$ in the y -axis



5. parallelogram $RSTU$ with vertices $R(-2, 3)$, $S(2, 4)$, $T(2, -3)$ and $U(-2, -4)$ in the line $y = x$



6. square $KLMN$ with vertices $K(-1, 0)$, $L(-2, 3)$, $M(1, 4)$, and $N(2, 1)$ in the x -axis



Determine how many lines of symmetry each figure has. Then determine whether the figure has point symmetry.

7. **1; no**
8. **4; yes**
9. **0; yes**

NAME _____ DATE _____ PERIOD _____


9-1 Practice (Average) Reflections

Draw the image of each figure under a reflection in line ℓ .




COORDINATE GEOMETRY Graph each figure and its image under the given reflection.


3. quadrilateral $ABCD$ with vertices $A(-3, 3)$, $B(1, 4)$, $C(4, 0)$, and $D(-3, -3)$ in the origin




4. $\triangle FGH$ with vertices $F(-3, -1)$, $G(0, 4)$, and $H(3, -1)$ in the line $y = x$



5. rectangle $QRST$ with vertices $Q(-3, 2)$, $R(-1, 4)$, $S(2, 1)$, and $T(0, -1)$ in the x -axis



6. trapezoid $H'I'JK$ with vertices $H(-2, 5)$, $I(2, 5)$, $J(-4, -1)$, and $K(-4, 3)$ in the y -axis



ROAD SIGNS Determine how many lines of symmetry each sign has. Then determine whether the sign has point symmetry.

7. **0; yes**
8. **1; no**
9. **4; yes**

NAME _____

DATE _____

PERIOD _____

9-1


Reading to Learn Mathematics
Reflections

Pre-Activity Where are reflections found in nature?


Read the introduction to Lesson 9-1 at the top of page 463 in your textbook. Suppose you draw a line segment connecting a point at the peak of a mountain to its image in the lake. Where will the midpoint of this segment fall? **on the boundary line between the shore and the surface of the lake**

Reading the Lesson

- Draw the reflected image for each reflection described below.
 - reflection of trapezoid $ABCD$ in the line n
 - reflection of $\triangle RST$ in point P



- reflection of pentagon $ABCDE$ in the origin
- Label the image of $ABCDE$ as $A'B'C'D'E'$.



- Determine the image of the given point under the indicated reflection.
 - $(4, 6)$; reflection in the y -axis **$(-4, 6)$**
 - $(-3, 5)$; reflection in the x -axis **$(-3, -5)$**
 - $(-8, -2)$; reflection in the line $y = x$ **$(-2, -8)$**
 - $(9, -3)$; reflection in the origin **$(-9, 3)$**

- Determine the number of lines of symmetry for each figure described below. Then determine whether the figure has point symmetry and indicate this by writing *yes* or *no*.
 - a square **4; yes**
 - an isosceles triangle (not equilateral) **1; no**
 - a regular hexagon **6; yes**
 - a rectangle (not a square) **2; yes**
 - the letter **E** **1; no**

Helping You Remember

A good way to remember a new geometric term is to relate the word or its parts to geometric terms you already know. Look up the origins of the two parts of the word *isometry* in your dictionary. Explain the meaning of each part and give a term you already know that shares the origin of that part. **Sample answer: The first part comes from *isos*, which means equal, as in *isosceles*. The second part comes from *metron*, which means measure, as in *geometry*.**

NAME _____


DATE _____

PERIOD _____

9-1 Enrichment

Reflections in the Coordinate Plane

Study the diagram at the right. It shows how the triangle ABC is mapped onto triangle XYZ by the transformation $(x, y) \rightarrow (-x + 6, y)$. Notice that $\triangle XYZ$ is the reflection image with respect to the vertical line with equation $x = 3$.



- Prove that the vertical line with equation $x = 3$ is the perpendicular bisector of the segment with endpoints (x, y) and $(-x + 6, y)$. (Hint: Use the midpoint formula.)


Midpoint = $\left(\frac{x + (-x + 6)}{2}, \frac{y + y}{2}\right)$ or $(3, y)$

The segment joining (x, y) and $(-x + 6, y)$ is horizontal and hence is perpendicular to the vertical line.

- Every transformation of the form $(x, y) \rightarrow (-x + 2h, y)$ is a reflection with respect to the vertical line with equation $x = h$. What kind of transformation is $(x, y) \rightarrow (x, -y + 2k)$? **reflection with respect to the horizontal line with equation $y = k$**


Draw the transformation image for each figure and the given transformation. Is it a reflection transformation? If so, with respect to what line?

- $(x, y) \rightarrow (-x - 4, y)$



yes; $x = -2$

- $(x, y) \rightarrow (x, -y + 8)$



yes; $y = 4$

9-2 Study Guide and Intervention


Translations

Translations Using Coordinates A transformation called a **translation** slides a figure in a given direction. In the coordinate plane, a translation moves every preimage point $P(x, y)$ to an image point $P'(x + a, y + b)$ for fixed values a and b . In words, a translation shifts a figure a units horizontally and b units vertically; in symbols, $(x, y) \rightarrow (x + a, y + b)$.

Example Rectangle $RECT$ has vertices $R(-2, -1)$, $E(-2, 2)$, $C(3, 2)$, and $T(3, -1)$. Graph $RECT$ and its image for the translation $(x, y) \rightarrow (x + 2, y - 1)$.

The translation moves every point of the preimage right 2 units and down 1 unit.


- $(x, y) \rightarrow (x + 2, y - 1)$
- $R(-2, -1) \rightarrow R'(-2 + 2, -1 - 1)$ or $R'(0, -2)$
- $E(-2, 2) \rightarrow E'(-2 + 2, 2 - 1)$ or $E'(0, 1)$
- $C(3, 2) \rightarrow C'(3 + 2, 2 - 1)$ or $C'(5, 1)$
- $T(3, -1) \rightarrow T'(3 + 2, -1 - 1)$ or $T'(5, -2)$




Exercises

Graph each figure and its image under the given translation.


- \overline{PQ} with endpoints $P(-1, 3)$ and $Q(2, 2)$ under the translation left 2 units and up 1 unit



- $\triangle PQR$ with vertices $P(-2, -4)$, $Q(-1, 2)$, and $R(2, 1)$ under the translation right 2 units and down 2 units



- square $SQUR$ with vertices $S(0, 2)$, $Q(3, 1)$, $U(2, -2)$, and $R(-1, -1)$ under the translation right 3 units and up 1 unit




9-2 Study Guide and Intervention

Translations







Translations by Repeated Reflections Another way to find the image of a translation is to reflect the figure twice in parallel lines. This kind of translation is called a **composite of reflections**.

Example In the figure, $m \parallel n$. Find the translation image of $\triangle ABC$. $\triangle A'B'C'$ is the image of $\triangle ABC$ reflected in line m . $\triangle A''B''C''$ is the image of $\triangle A'B'C'$ reflected in line n . The final image, $\triangle A''B''C''$, is a translation of $\triangle ABC$.



Exercises


In each figure, $m \parallel n$. Find the translation image of each figure by reflecting it in line m and then in line n .



NAME _____ DATE _____ PERIOD _____

9-2 Practice (Average)
Translations


In each figure, $c \parallel d$. Determine whether figure 3 is a translation image of figure 1. Write *yes* or *no*. Explain your answer.




No; it is a translation of a reflection and is oriented differently than figure 1.
Yes; it is a reflection of a reflection with respect to the parallel lines.

COORDINATE GEOMETRY Graph each figure and its image under the given translation.

3. quadrilateral $TUVX$ with vertices $T(-1, 1)$, $U(4, 2)$, $V(1, 5)$, and $X(-1, 3)$ under the translation $(x, y) \rightarrow (x - 2, y - 4)$



4. pentagon $DEFGH$ with vertices $D(-1, -2)$, $E(2, -1)$, $F(5, -2)$, $G(4, -4)$, $H(1, -4)$ under the translation $(x, y) \rightarrow (x - 1, y + 5)$



Lesson 9-2

NAME _____ DATE _____ PERIOD _____

9-2 Skills Practice
Translations

In each figure, $a \parallel b$. Determine whether figure 3 is a translation image of figure 1. Write *yes* or *no*. Explain your answer.




Yes; reflect figure 1 in line a to get figure 2 and figure 2 in line b to get figure 3.
No; it is oriented differently than figure 1.




Yes; reflect figure 1 in line a to get figure 2 and figure 2 in line b to get figure 3.
No; it is a reflection of a translation and is oriented differently than figure 1.

COORDINATE GEOMETRY Graph each figure and its image under the given translation.

5. $\triangle JKL$ with vertices $J(-4, -4)$, $K(-2, -1)$, and $L(2, -4)$ under the translation $(x, y) \rightarrow (x + 2, y + 5)$




6. quadrilateral $LMNP$ with vertices $L(4, 2)$, $M(4, -1)$, $N(0, -1)$, and $P(1, 4)$ under the translation $(x, y) \rightarrow (x - 4, y - 3)$



ANIMATION Find the translation that moves the figure on the coordinate plane.

- 5. figure 1 \rightarrow figure 2
 $(x + 4, y + 2)$
- 6. figure 2 \rightarrow figure 3
 $(x - 4, y + 1)$
- 7. figure 3 \rightarrow figure 4
 $(x + 3, y + 3)$



NAME _____

DATE _____

PERIOD _____

9-2 Practice (Average)
Translations


In each figure, $c \parallel d$. Determine whether figure 3 is a translation image of figure 1. Write *yes* or *no*. Explain your answer.




No; it is a translation of a reflection and is oriented differently than figure 1.
Yes; it is a reflection of a reflection with respect to the parallel lines.

COORDINATE GEOMETRY Graph each figure and its image under the given translation.

3. quadrilateral $TUVX$ with vertices $T(-1, 1)$, $U(4, 2)$, $V(1, 5)$, and $X(-1, 3)$ under the translation $(x, y) \rightarrow (x - 2, y - 4)$



4. pentagon $DEFGH$ with vertices $D(-1, -2)$, $E(2, -1)$, $F(5, -2)$, $G(4, -4)$, $H(1, -4)$ under the translation $(x, y) \rightarrow (x - 1, y + 5)$



9-2 **Reading to Learn Mathematics**
Translations


Pre-Activity How are translations used in a marching band show?

Read the introduction to Lesson 9-2 at the top of page 470 in your textbook. How do band directors get the marching band to maintain the shape of the figure they originally formed? **Sample answer: The band practices marching in unison, with everyone making identical moves at the same time.**

Reading the Lesson

- Underline the correct word or phrase to form a true statement.
 - All reflections and translations are (opposites/isometries/equivalent).
 - The preimage and image of a figure under a reflection in a line have (the same orientation/opposite orientations).
 - The preimage and image of a figure under a translation have (the same orientation/opposite orientations).
 - The result of successive reflections over two parallel lines is a (reflection/rotation/translation).
 - Collinearity (is/is not) preserved by translations.
 - The translation $(x, y) \rightarrow (x + a, y + b)$ shifts every point a units (horizontally/vertically) and y units (horizontally/vertically).
- Find the image of each preimage under the indicated translation.
 - (x, y) ; 5 units right and 3 units up **$(x + 5, y + 3)$**
 - (x, y) ; 2 units left and 4 units down **$(x - 2, y - 4)$**
 - (x, y) ; 1 unit left and 6 units up **$(x - 1, y + 6)$**
 - (x, y) ; 7 units right **$(x + 7, y)$**
 - $(4, -3)$; 3 units up **$(4, 0)$**
 - $(-5, 6)$; 3 units right and 2 units down **$(-2, 4)$**
 - $(-7, 5)$; 7 units right and 5 units down **$(0, 0)$**
 - $(-9, -2)$; 12 units right and 6 units down **$(3, -8)$**

- $\triangle RST$ has vertices $R(-3, 3)$, $S(0, -2)$, and $T(2, 1)$. Graph $\triangle RST$ and its image $\triangle R'S'T'$ under the translation $(x, y) \rightarrow (x + 3, y - 2)$. List the coordinates of the vertices of the image.
 $R'(0, 1)$, $S'(3, -4)$, $T'(5, -1)$



Helping You Remember

- A good way to remember a new mathematical term is to relate it to an everyday meaning of the same word. How is the meaning of *translation* in geometry related to the idea of *translation* from one language to another? **Sample answer: When you translate from one language to another, you carry over the meaning from one language to another. When you translate a geometric figure, you carry over the figure from one position to another without changing its basic**

9-2 **Enrichment**

Translations in The Coordinate Plane

You can use algebraic descriptions of reflections to show that the composite of two reflections with respect to parallel lines is a translation (that is, a slide).

- Suppose a and b are two different real numbers. Let S and T be the following reflections.

$S: (x, y) \rightarrow (-x + 2a, y)$
 $T: (x, y) \rightarrow (-x + 2b, y)$

S is reflection with respect to the line with equation $x = a$, and T is reflection with respect to the line with equation $x = b$.

- Find an algebraic description (similar to those above for S and T) to describe the composite transformation “ S followed by T .”

$(x, y) \rightarrow (x + 2(b - a), y)$

- Find an algebraic description for the composite transformation “ T followed by S .”

$(x, y) \rightarrow (x + 2(a - b), y)$

- Think about the results you obtained in Exercise 1. What do they tell you about how the distance between two parallel lines is related to the distance between a preimage and image point for a composite of reflections with respect to these lines?

The distance between a preimage and its image point is twice the distance between the parallel lines.

- Illustrate your answers to Exercises 1 and 2 with sketches. Use a separate sheet if necessary.

See students' work.

NAME _____

DATE _____


PERIOD _____

9-3 Study Guide and Intervention Rotations

Draw Rotations A transformation called a **rotation** turns a figure through a specified angle about a fixed point called the **center of rotation**. To find the image of a rotation, one way is to use a protractor. Another way is to reflect a figure twice, in two intersecting lines.


Example 1 $\triangle ABC$ has vertices $A(2, 1)$, $B(3, 4)$, and $C(5, 1)$. **Draw the image of $\triangle ABC$ under a rotation of 90° counterclockwise about the origin.**

- First draw $\triangle ABC$. Then draw a segment from O , the origin, to point A .
- Use a protractor to measure 90° counterclockwise with \overline{OA} as one side.
- Draw $\overline{OA'}$.
- Use a compass to copy \overline{OA} onto $\overline{OA'}$. Name the segment $\overline{OA'}$.
- Repeat with segments from the origin to points B and C .



Example 2 **Find the image of $\triangle ABC$ under reflection in lines m and n .**


First reflect $\triangle ABC$ in line m . Label the image $\triangle A'B'C'$. Reflect $\triangle A'B'C'$ in line n . Label the image $\triangle A''B''C''$. $\triangle A''B''C''$ is a rotation of $\triangle ABC$. The center of rotation is the intersection of lines m and n . The angle of rotation is twice the measure of the acute angle formed by m and n .




Exercises

Draw the rotation image of each figure 90° in the given direction about the center point and label the coordinates.

- \overline{PQ} with endpoints $P(-1, -2)$ and $Q(1, 3)$ counterclockwise about the origin



- $\triangle PQR$ with vertices $P(-2, -3)$, $Q(2, -1)$, and $R(3, 2)$ clockwise about the point $T(1, 1)$



Find the rotation image of each figure by reflecting it in line m and then in line n .

-

-

NAME _____

DATE _____

PERIOD _____

9-3 Study Guide and Intervention Rotations

Rotational Symmetry When the figure at the right is rotated about point P by 120° or 240° , the image looks like the preimage. The figure has **rotational symmetry**, which means it can be rotated less than 360° about a point and the preimage and image appear to be the same.



The figure has rotational symmetry of **order 3** because there are 3 rotations less than 360° (0° , 120° , 240°) that produce an image that is the same as the original. The **magnitude** of the rotational symmetry for a figure is 360 degrees divided by the order. For the figure above, the rotational symmetry has magnitude 120 degrees.

Example **Identify the order and magnitude of the rotational symmetry of the design at the right.**



The design has rotational symmetry about the center point for rotations of 0° , 45° , 90° , 135° , 180° , 225° , 270° , and 315° .

There are eight rotations less than 360 degrees, so the order of its rotational symmetry is 8. The quotient $360 \div 8$ is 45, so the magnitude of its rotational symmetry is 45 degrees.

Exercises

Identify the order and magnitude of the rotational symmetry of each figure.

- a square
order: 4; magnitude: 90°
- a regular 40-gon
order: 40; magnitude: 9°



3.

order: 2; magnitude: 180°



4.

order: 5; magnitude: 72°



5.

order: 16; magnitude: 22.5°




6.

order: 3; magnitude: 120°

NAME _____ DATE _____ PERIOD _____



9-3 Skills Practice
Rotations

Rotate each figure about point R under the given angle of rotation and the given direction. Label the vertices of the rotation image.



COORDINATE GEOMETRY Draw the rotation image of each figure 90° in the given direction about the origin and label the coordinates.

3. $\triangle STW$ with vertices $S(2, -1)$, $T(5, 1)$, and $W(3, 3)$ counterclockwise
4. $\triangle DEF$ with vertices $D(-4, 3)$, $E(1, 2)$, and $F(-3, -3)$ clockwise




Use a composition of reflections to find the rotation image with respect to lines ℓ and m . Then find the angle of rotation for each image.



NAME _____ DATE _____ PERIOD _____



9-3 Practice (Average)
Rotations

Rotate each figure about point R under the given angle of rotation and the given direction. Label the vertices of the rotation image.



COORDINATE GEOMETRY Draw the rotation image of each figure 90° in the given direction about the center point and label the coordinates.

3. $\triangle RST$ with vertices $R(-3, 3)$, $S(2, 4)$, and $T(1, 2)$ clockwise about the point $P(1, 0)$
4. $\triangle HJK$ with vertices $H(3, 1)$, $J(3, -3)$, and $K(-3, -4)$ counterclockwise about the point $P(-1, -1)$



Use a composition of reflections to find the rotation image with respect to lines p and s . Then find the angle of rotation for each image.



7. STEAMBOATS A paddle wheel on a steamboat is driven by a steam engine and moves from one paddle to the next to propel the boat through the water. If a paddle wheel consists of 18 evenly spaced paddles, identify the order and magnitude of its rotational symmetry. **order 18 and magnitude 20°**

NAME _____

DATE _____

PERIOD _____

9-3 Reading to Learn Mathematics Rotations

Pre-Activity How do some amusement rides illustrate rotations?

Read the introduction to Lesson 9-3 at the top of page 476 in your textbook.

What are two ways that each car rotates?

Each car spins around its own center and each car rotates around a point in the center of the circular track.

Reading the Lesson

- List all of the following types of transformations that satisfy each description: *reflection*, *translation*, *rotation*.
 - The transformation is an isometry. **reflection, translation, rotation**
 - The transformation preserves the orientation of a figure. **translation, rotation**
 - The transformation is the composite of successive reflections over two intersecting lines. **rotation**
 - The transformation is the composite of successive reflections over two parallel lines. **translation**
 - A specific transformation is defined by a fixed point and a specified angle. **rotation**
 - A specific transformation is defined by a fixed point, a fixed line, or a fixed plane. **reflection**
 - A specific transformation is defined by $(x, y) \rightarrow (x + a, x + b)$, for fixed values of a and b . **translation**
 - The transformation is also called a slide. **translation**
 - The transformation is also called a flip. **reflection**
 - The transformation is also called a turn. **rotation**

2. Determine the order and magnitude of the rotational symmetry for each figure.



order 3; magnitude 120°



order 5; magnitude 72°



order 2; magnitude 180°



order 6; magnitude 60°

Helping You Remember

3. What is an easy way to remember the order and magnitude of the rotational symmetry of a regular polygon?

Sample answer: The order is the same as the number of sides. To find the magnitude, divide 360 by the number of sides.

NAME _____


DATE _____

PERIOD _____

9-3 Enrichment

Finding the Center of Rotation

Suppose you are told that $\triangle X'Y'Z'$ is the rotation image of $\triangle XYZ$, but you are not told where the center of rotation is nor the measure of the angle of rotation. Can you find them? Yes, you can. Connect two pairs of corresponding vertices with segments. In the figure, the segments YY' and ZZ' are used. Draw the perpendicular bisectors, ℓ and m , of these segments. The point C where ℓ and m intersect is the center of rotation.




- How can you find the measure of the angle of rotation in the figure above?

Draw $\angle XCX'$ ($\angle YCY'$ or $\angle CZC'$) would also do) and measure it with a protractor.


Locate the center of rotation for the rotation that maps $WXYZ$ onto $W'X'Y'Z'$. Then find the measure of the angle of rotation.

2.



**center of rotation
angle of rotation:
about 100**

3.




**center of rotation
angle of rotation:
about 110**

The segments students choose to bisect may vary. See students' work.

9-4 Study Guide and Intervention (continued)

Tessellations

Regular Tessellations A pattern that covers a plane with repeating copies of one or more figures so that there are no overlapping or empty spaces is a **tessellation**. A **regular tessellation** uses only one type of regular polygon. In a tessellation, the sum of the measures of the angles of the polygons surrounding a vertex is 360. If a regular polygon has an interior angle that is a factor of 360, then the polygon will tessellate.



regular tessellation



tessellation



Copies of a regular hexagon can form a tessellation.



Copies of a regular pentagon cannot form a tessellation.

Example Determine whether a regular 16-gon tessellates the plane. Explain.

If $m\angle 1$ is the measure of one interior angle of a regular polygon, then a formula for $m\angle 1$ is $m\angle 1 = \frac{180(n-2)}{n}$. Use the formula with $n = 16$.

$$m\angle 1 = \frac{180(n-2)}{n}$$

$$= \frac{180(16-2)}{16}$$

$$= 157.5$$

The value 157.5 is not a factor of 360, so the 16-gon will not tessellate.

Exercises

Determine whether each polygon tessellates the plane. If so, draw a sample figure.

1. scalene right triangle **yes**



2. isosceles trapezoid **yes**



Determine whether each regular polygon tessellates the plane. Explain.

3. square

Yes; the measure of each interior angle is 90, and 90 is a factor of 360.

4. 20-gon

No; the measure of each interior angle is 162, and 162 is not a factor of 360.

5. septagon

No; the measure of each interior angle is 128.6, and 128.6 is not a factor of 360.

6. 15-gon

No; the measure of each interior angle is 156, and 156 is not a factor of 360.

7. octagon

No; the measure of each interior angle is 135, and 135 is not a factor of 360.

8. pentagon

No; the measure of each interior angle is 108, and 108 is not a factor of 360.


9-4 Study Guide and Intervention (continued)

Tessellations

Tessellations with Specific Attributes A tessellation pattern can contain any type of polygon. If the arrangement of shapes and angles at each vertex in the tessellation is the same, the tessellation is **uniform**. A **semi-regular tessellation** is a uniform tessellation that contains two or more regular polygons.

Example Determine whether a kite will tessellate the plane. If so, describe the tessellation as **uniform**, **regular**, **semi-regular**, or **not uniform**.


A kite will tessellate the plane. At each vertex the sum of the measures is $a + b + b + c$, which is 360. The tessellation is uniform.



Exercises


Determine whether a semi-regular tessellation can be created from each set of figures. If so, sketch the tessellation. Assume that each figure has a side length of 1 unit.

1. rhombus, equilateral triangle, and octagon



no


2. square and equilateral triangle



yes


Determine whether each polygon tessellates the plane. If so, describe the tessellation as **uniform**, **not uniform**, **regular**, or **semi-regular**.

3. rectangle



yes, uniform

4. hexagon and square



no

NAME _____ DATE _____ PERIOD _____

9-4 Practice (Average) Tessellations



Determine whether each regular polygon tessellates the plane. Explain.

- 22-gon
no, interior angle ≈ 163.6
- 40-gon
no, interior angle = 171



Determine whether a semi-regular tessellation can be created from each set of figures. Assume each figure has a side length of 1 unit.

- regular pentagons and regular decagons
no (will not tessellate the plane)
- regular dodecagons, regular hexagons, and squares
yes

Determine whether each polygon tessellates the plane. If so, describe the tessellation as *uniform*, *not uniform*, *regular*, or *semi-regular*.

- kite

yes; uniform
- octagon and decagon

no

Determine whether each pattern is a tessellation. If so, describe it as *uniform*, *not uniform*, *regular*, or *semi-regular*.

- 
yes; uniform, semi-regular
- 
yes, not uniform

FLOOR TILES For Exercises 9 and 10, use the following information.
Mr. Martinez chose the pattern of tile shown to retiling his kitchen floor.

- Determine whether the pattern is a tessellation. Explain.
Yes; since there are 2 squares and 3 triangles at each vertex, the sum of the angles at the vertices is 360° .
- Is the pattern uniform, regular, or semi-regular?
uniform and semi-regular

© Glencoe/McGraw-Hill **500** Glencoe Geometry

NAME _____ DATE _____ PERIOD _____

9-4 Skills Practice Tessellations



Determine whether each regular polygon tessellates the plane. Explain.

- 15-gon
no, interior angle = 156
- 18-gon
no, interior angle = 160
- square
yes, interior angle = 90
- 20-gon
no, interior angle = 162



Determine whether a semi-regular tessellation can be created from each set of figures. Assume each figure has a side length of 1 unit.

- regular pentagons and equilateral triangles
no
- regular dodecagons and equilateral triangles
yes
- regular octagons and equilateral triangles
no

Determine whether each polygon tessellates the plane. If so, describe the tessellation as *uniform*, *not uniform*, *regular*, or *semi-regular*.

- rhombus

yes; uniform
- isosceles trapezoid and square

no

FLOOR TILES For Exercises 9 and 10, use the following information.
Mr. Martinez chose the pattern of tile shown to retiling his kitchen floor.

- Determine whether each pattern is a tessellation. If so, describe it as *uniform*, *not uniform*, *regular*, or *semi-regular*.

yes; uniform, semi-regular
- 
yes; uniform

© Glencoe/McGraw-Hill **499** Glencoe Geometry

NAME _____ DATE _____ PERIOD _____

9-4 Enrichment

NAME _____ DATE _____ PERIOD _____

9-4 Reading to Learn Mathematics

Tessellations

Pre-Activity How are tessellations used in art?

Read the introduction to Lesson 9-4 at the top of page 483 in your textbook.

- In the pattern shown in the picture in your textbook, how many small equilateral triangles make up one regular hexagon? **6**
- In this pattern, how many fish make up one equilateral triangle? **$1\frac{1}{2}$**



Lesson 9-4

Reading the Lesson

1. Underline the correct word, phrase, or number to form a true statement.

- A tessellation is a pattern that covers a plane with the same figure or set of figures so that there are no (congruent angles/overlapping or empty spaces/right angles).
- A tessellation that uses only one type of regular polygon is called a (uniform/regular/semi-regular) tessellation.
- The sum of the measures of the angles at any vertex in any tessellation is (90/180/360).
- A tessellation that contains the same arrangement of shapes and angles at every vertex is called a (uniform/regular/semi-regular) tessellation.
- In a regular tessellation made up of hexagons, there are (3/4/6) hexagons meeting at each vertex, and the measure of each of the angles at any vertex is (60/90/120).
- A uniform tessellation formed using two or more regular polygons is called a (rotational/regular/semi-regular) tessellation.
- In a regular tessellation made up of triangles, there are (3/4/6) triangles meeting at each vertex, and the measure of each of the angles at any vertex is (30/60/120).
- If a regular tessellation is made up of quadrilaterals, all of the quadrilaterals must be congruent (rectangles/parallelograms/squares/trapezoids).

2. Write all of the following words that describe each tessellation: *uniform, non-uniform, regular, semi-regular*.

-  **non-uniform**
-  **uniform, semi-regular**













Helping You Remember

3. Often the everyday meanings of a word can help you to remember its mathematical meaning. Look up *uniform* in your dictionary. How can its everyday meanings help you to remember the meaning of a *uniform* tessellation? **Sample answer: Three similar meanings of uniform are *unvarying, consistent, and identical*. In a uniform tessellation, the arrangement of shapes and angles at each vertex is the same. Each of the three everyday meanings describes this situation.**

Polygonal Numbers


Certain numbers related to regular polygons are called **polygonal numbers**. The chart shows several triangular, square, and pentagonal numbers. The **rank** of a polygon number is the number of dots on each "side" of the outer polygon. For example, the pentagonal number 22 has a rank of 4.

Polygonal numbers can be described with formulas. For example, a triangular number T of rank r can be described by $T = \frac{r(r+1)}{2}$.


	Rank 1	Rank 2	Rank 3	Rank 4
Triangle	 1	 3	 6	 10
Square	 1	 4	 9	 16
Pentagon	 1	 5	 12	 22

Answer each question.

- Draw a diagram to find the triangular number of rank 5. **15**
- Draw a diagram to find the pentagonal number of rank 5. **35**



$S = r^2$



$P = \frac{r(3r-1)}{2}$

NAME _____ DATE _____ PERIOD _____

9-4 Reading to Learn Mathematics

Tessellations

Pre-Activity How are tessellations used in art?

Read the introduction to Lesson 9-4 at the top of page 483 in your textbook.

- In the pattern shown in the picture in your textbook, how many small equilateral triangles make up one regular hexagon? **6**
- In this pattern, how many fish make up one equilateral triangle? **$1\frac{1}{2}$**



Lesson 9-4

Reading the Lesson

1. Underline the correct word, phrase, or number to form a true statement.

- A tessellation is a pattern that covers a plane with the same figure or set of figures so that there are no (congruent angles/overlapping or empty spaces/right angles).
- A tessellation that uses only one type of regular polygon is called a (uniform/regular/semi-regular) tessellation.
- The sum of the measures of the angles at any vertex in any tessellation is (90/180/360).
- A tessellation that contains the same arrangement of shapes and angles at every vertex is called a (uniform/regular/semi-regular) tessellation.
- In a regular tessellation made up of hexagons, there are (3/4/6) hexagons meeting at each vertex, and the measure of each of the angles at any vertex is (60/90/120).
- A uniform tessellation formed using two or more regular polygons is called a (rotational/regular/semi-regular) tessellation.
- In a regular tessellation made up of triangles, there are (3/4/6) triangles meeting at each vertex, and the measure of each of the angles at any vertex is (30/60/120).
- If a regular tessellation is made up of quadrilaterals, all of the quadrilaterals must be congruent (rectangles/parallelograms/squares/trapezoids).

2. Write all of the following words that describe each tessellation: *uniform, non-uniform, regular, semi-regular*.

-  **non-uniform**
-  **uniform, semi-regular**













Helping You Remember

3. Often the everyday meanings of a word can help you to remember its mathematical meaning. Look up *uniform* in your dictionary. How can its everyday meanings help you to remember the meaning of a *uniform* tessellation? **Sample answer: Three similar meanings of uniform are *unvarying, consistent, and identical*. In a uniform tessellation, the arrangement of shapes and angles at each vertex is the same. Each of the three everyday meanings describes this situation.**

Polygonal Numbers


Certain numbers related to regular polygons are called **polygonal numbers**. The chart shows several triangular, square, and pentagonal numbers. The **rank** of a polygon number is the number of dots on each "side" of the outer polygon. For example, the pentagonal number 22 has a rank of 4.

Polygonal numbers can be described with formulas. For example, a triangular number T of rank r can be described by $T = \frac{r(r+1)}{2}$.


	Rank 1	Rank 2	Rank 3	Rank 4
Triangle	 1	 3	 6	 10
Square	 1	 4	 9	 16
Pentagon	 1	 5	 12	 22

Answer each question.

- Draw a diagram to find the triangular number of rank 5. **15**
- Draw a diagram to find the pentagonal number of rank 5. **35**



$S = r^2$



$P = \frac{r(3r-1)}{2}$

© Glencoe/McGraw-Hill

A13

Glencoe Geometry

© Glencoe/McGraw-Hill

501

Glencoe Geometry

© Glencoe/McGraw-Hill

502

Glencoe Geometry

Answers

NAME _____

DATE _____

PERIOD _____


9-5 Study Guide and Intervention

Dilations

Classify Dilations A dilation is a transformation in which the image may be a different size than the preimage. A dilation requires a center point and a scale factor, r .

Let r represent the scale factor of a dilation.
 If $|r| > 1$, then the dilation is an enlargement.
 If $|r| = 1$, then the dilation is a congruence transformation.
 If $0 < |r| < 1$, then the dilation is a reduction.


Example Draw the dilation image of $\triangle ABC$ with center O and $r = 2$.
 Draw \overline{OA} , \overline{OB} , and \overline{OC} . Label points A' , B' , and C' so that $OA' = 2(OA)$, $OB' = 2(OB)$, and $OC' = 2(OC)$. $\triangle A'B'C'$ is a dilation of $\triangle ABC$.




Exercises

Draw the dilation image of each figure with center C and the given scale factor. Describe each transformation as an enlargement, congruence, or reduction.


1. $r = 2$ **enlargement**




2. $r = \frac{1}{2}$ **reduction**




3. $r = 1$ **congruence**




4. $r = 3$ **enlargement**



5. $r = \frac{2}{3}$ **reduction**



6. $r = 1$ **congruence**



NAME _____

DATE _____

PERIOD _____

9-5 Study Guide and Intervention


Dilations

Identify the Scale Factor If you know corresponding measurements for a preimage and its dilation image, you can find the scale factor.

Example Determine the scale factor for the dilation of $\triangle XY$ to $\triangle AB$. Determine whether the dilation is an enlargement, reduction, or congruence transformation.

$$\begin{aligned} \text{scale factor} &= \frac{\text{image length}}{\text{preimage length}} \\ &= \frac{8 \text{ units}}{4 \text{ units}} \\ &= 2 \end{aligned}$$


The scale factor is greater than 1, so the dilation is an enlargement.




Exercises

Determine the scale factor for each dilation with center C . Determine whether the dilation is an enlargement, reduction, or congruence transformation.


1. $CGHJ$ is a dilation image of $CDEF$. **2; enlargement**




2. $\triangle CKL$ is a dilation image of $\triangle CKL$. **1; congruence**




3. $STUVWX$ is a dilation image of $MNOPQR$. **$\frac{1}{2}$; reduction**




4. $\triangle CPQ$ is a dilation image of $\triangle CYZ$. **$\frac{1}{3}$; reduction**



5. $\triangle EFG$ is a dilation image of $\triangle ABC$. **1.5; enlargement**



6. $\triangle HJK$ is a dilation image of $\triangle HJK$. **1; congruence**




NAME _____ DATE _____ PERIOD _____

9-5 Skills Practice


Dilations

Draw the dilation image of each figure with center C and the given scale factor.

1. $r = 2$



2. $r = \frac{1}{4}$



Find the measure of the dilation image $\overline{MN'}$ or of the preimage \overline{MN} using the given scale factor.

3. $MN = 3, r = 3$


$M'N' = 9$

4. $M'N' = 7, r = 21$


$MN = \frac{1}{3}$

COORDINATE GEOMETRY Find the image of each polygon, given the vertices, after a dilation centered at the origin with a scale factor of 2. Then graph a dilation centered at the origin with a scale factor of $\frac{1}{2}$.


5. $J(2, 4), K(4, 4), P(3, 2)$




6. $D(-2, 0), G(0, 2), F(2, -2)$



Determine the scale factor for each dilation with center C . Determine whether the dilation is an *enlargement*, *reduction*, or *congruence transformation*. The dashed figure is the dilation image.



7.



8.

4; enlargement

1; congruence transformation


NAME _____ DATE _____ PERIOD _____

9-5 Practice (Average)


Dilations

Draw the dilation image of each figure with center C and the given scale factor.

1. $r = \frac{3}{2}$



2. $r = \frac{2}{3}$



Find the measure of the dilation image $\overline{A'T'}$ or of the preimage \overline{AT} using the given scale factor.

3. $AT = 15, r = \frac{3}{5}$

$A'T' = 9$

4. $AT = 30, r = -\frac{1}{6}$


$A'T' = 5$

5. $A'T' = 12, r = \frac{4}{3}$


$AT = 9$

COORDINATE GEOMETRY Find the image of each polygon, given the vertices, after a dilation centered at the origin with a scale factor of 2. Then graph a dilation centered at the origin with a scale factor of $\frac{1}{2}$.


6. $A(1, 1), C(2, 3), D(4, 2), E(3, 1)$



7. $Q(-1, -1), R(0, 2), S(2, 1)$




Determine the scale factor for each dilation with center C . Determine whether the dilation is an *enlargement*, *reduction*, or *congruence transformation*. The dotted figure is the dilation image.



8.

$\frac{1}{3}$; reduction



9.

2; enlargement

10. **PHOTOGRAPHY** Esteban enlarged a 4-inch by 6-inch photograph by a factor of $\frac{5}{2}$. What are the new dimensions of the photograph? **10 in. by 15 in.**

NAME _____

DATE _____

PERIOD _____

9-5 Reading to Learn Mathematics

Dilations

Pre-Activity How do you use dilations when you use a computer?

Read the introduction to Lesson 9-5 at the top of page 490 in your textbook. In addition to the example given in your textbook, give two everyday examples of scaling an object, one that makes the object larger and another that makes it smaller. **Sample answer: larger: enlarging a photograph; smaller: making a scale model of a building**

Reading the Lesson

- Each of the values of r given below represents the scale factor for a dilation. In each case, determine whether the dilation is an *enlargement*, a *reduction*, or a *congruence transformation*.
 - $r = 3$ **enlargement**
 - $r = 0.5$ **reduction**
 - $r = -0.75$ **reduction**
 - $r = -1$ **congruence transformation**
 - $r = \frac{2}{3}$ **reduction**
 - $r = -\frac{3}{2}$ **enlargement**
 - $r = -1.01$ **enlargement**
 - $r = 0.999$ **reduction**
- Determine whether each sentence is *always*, *sometimes*, or *never* true. If the sentence is not always true, explain why. **For explanations, sample answers are given.**
 - A dilation requires a center point and a scale factor. **always**
 - A dilation changes the size of a figure. **Sometimes; if the dilation is a congruence transformation, the size of the figure is unchanged.**
 - A dilation changes the shape of a figure. **Never; all dilations produce similar figures, and similar figures have the same shape.**
 - The image of a figure under a dilation lies on the opposite side of the center from the preimage. **Sometimes; this is only true when the scale factor is negative.**
 - A similarity transformation is a congruence transformation. **Sometimes; this is true only when the scale factor is 1 or -1.**
 - The center of a dilation is its own image. **always**
 - A dilation is an isometry. **Sometimes; this is true only when the dilation is a congruence transformation.**
 - The scale factor for a dilation is a positive number. **Sometimes; the scale factor can be any positive or negative number.**
 - Dilations produce similar figures. **always**

Helping You Remember

- A good way to remember something is to explain it to someone else. Suppose that your classmate Lydia is having trouble understanding the relationship between *similarity transformations* and *congruence transformations*. How can you explain this to her? **Sample answer: A congruence transformation preserves the size and shape of a figure, that is, the image is congruent to the preimage. A similarity transformation preserves the shape of a figure, that is, the image is similar to the preimage. A similarity transformation is a congruence transformation if the scale factor is 1 or -1.**

© Glencoe/McGraw-Hill

507

Glencoe Geometry

NAME _____

DATE _____


PERIOD _____

9-5 Enrichment

Similar Circles


You may be surprised to learn that two noncongruent circles that lie in the same plane and have no common interior points can be mapped one onto the other by more than one dilation.

- Here is a diagram that suggests one way to map a smaller circle onto a larger one using a dilation. The circles are given. The lines suggest how to find the center for the dilation. Describe how the center is found. Use segments in the diagram to name the scale factor.



Draw the two common external tangents. The point where they intersect is the center of a dilation that maps $\odot A$ onto $\odot A'$; scale factor = $\frac{A'M'}{AM}$.

- Here is another pair of noncongruent circles with no common interior point. From Exercise 1, you know you can locate a point off to the left of the smaller circle that is the center for a dilation mapping $\odot C$ onto $\odot C'$. Find another center for another dilation that maps $\odot C$ onto $\odot C'$. Mark and label segments to name the scale factor.



Find the intersection of the two common internal tangents; scale factor: $-\frac{C'X'}{CX}$.

© Glencoe/McGraw-Hill

508

Glencoe Geometry


9-6 Study Guide and Intervention

Vectors

Magnitude and Direction A vector is a directed segment representing a quantity that has both **magnitude**, or length, and **direction**. For example, the speed and direction of an airplane can be represented by a vector. In symbols, a vector is written as \overrightarrow{AB} , where A is the initial point and B is the endpoint, or as \vec{v} .

A vector in **standard position** has its initial point at $(0, 0)$ and can be represented by the ordered pair for point B . The vector at the right can be expressed as $\vec{v} = \langle 5, 3 \rangle$.

You can use the Distance Formula to find the magnitude $|\overrightarrow{AB}|$ of a vector. You can describe the direction of a vector by measuring the angle that the vector forms with the positive x -axis or with any other horizontal line.



Example Find the magnitude and direction of \overrightarrow{AB} for $A(5, 2)$ and $B(8, 7)$.

Find the magnitude.

$$|\overrightarrow{AB}| = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$$

$$= \sqrt{(8 - 5)^2 + (7 - 2)^2}$$

$$= \sqrt{34} \text{ or about } 5.8 \text{ units}$$

To find the direction, use the tangent ratio.

$$\tan A = \frac{5}{3}$$

The tangent ratio is opposite over adjacent.

$$m\angle A \approx 59.0$$

Use a calculator.

The magnitude of the vector is about 5.8 units and its direction is 59° .

Exercises

Find the magnitude and direction of \overrightarrow{AB} for the given coordinates. Round to the nearest tenth.

- $A(3, 1), B(-2, 3)$
5.4; 158.2°
- $A(0, 1), B(-2, 1)$
2.2; 153.4°
- $A(0, 1), B(3, 5)$
5; 53.1°
- $A(-2, 2), B(3, 1)$
5.1; 348.7°
- $A(3, 4), B(0, 0)$
5; 233.1°
- $A(4, 2), B(0, 3)$
4.1; 166.0°

9-6 Study Guide and Intervention

Vectors

Translations with Vectors Recall that the transformation $(a, b) \rightarrow (a + 2, b - 3)$ represents a translation right 2 units and down 3 units. The vector $\langle 2, -3 \rangle$ is another way to describe that translation. Also, two vectors can be added: $\langle a, b \rangle + \langle c, d \rangle = \langle a + c, b + d \rangle$. The sum of two vectors is called the **resultant**.

Example Graph the image of parallelogram $RSTU$ under the translation by the vectors $\vec{m} = \langle 3, -1 \rangle$ and $\vec{n} = \langle -2, -4 \rangle$.


Find the sum of the vectors.

$$\vec{m} + \vec{n} = \langle 3, -1 \rangle + \langle -2, -4 \rangle$$

$$= \langle 3 - 2, -1 - 4 \rangle$$

$$= \langle 1, -5 \rangle$$



Translate each vertex of parallelogram $RSTU$ right 1 unit and down 5 units.




Exercises

Graph the image of each figure under a translation by the given vector(s).

- $\triangle ABC$ with vertices $A(-1, 2), B(0, 0)$, and $C(2, 3)$; $\vec{m} = \langle 2, -3 \rangle$
- $ABCD$ with vertices $A(-4, 1), B(-2, 3), C(1, 1)$, and $D(-1, -1)$; $\vec{n} = \langle 3, -3 \rangle$



- $ABCD$ with vertices $A(-3, 3), B(1, 3), C(1, 1)$, and $D(-3, 1)$; the sum of $\vec{p} = \langle -2, 1 \rangle$ and $\vec{q} = \langle 5, -4 \rangle$



Given $\vec{m} = \langle 1, -2 \rangle$ and $\vec{n} = \langle -3, -4 \rangle$, represent each of the following as a single vector.

- $\vec{m} + \vec{n}$
 $\langle -2, -6 \rangle$
- $\vec{m} - \vec{n}$
 $\langle -4, -2 \rangle$

9-6 Reading to Learn Mathematics

Vectors

Pre-Activity How do vectors help a pilot plan a flight?

Read the introduction to Lesson 9-6 at the top of page 498 in your textbook. Why do pilots often head their planes in a slightly different direction from their destination? **Sample answer: to compensate for the effect of the wind so that the result will be that the plane will actually fly in the correct direction**

Reading the Lesson

- Supply the missing words or phrases to complete the following sentences.
 - A **vector** is a directed segment representing a quantity that has both magnitude and direction.
 - The length of a vector is called its **magnitude**.
 - Two vectors are parallel if and only if they have the same or **opposite** direction.
 - A vector is in **standard position** if it is drawn with initial point at the origin.
 - Two vectors are equal if and only if they have the same **magnitude** and the same **direction**.
 - The sum of two vectors is called the **resultant**.
 - A vector is written in **component form** if it is expressed as an ordered pair.
 - The process of multiplying a vector by a constant is called **scalar multiplication**.
- Write each vector described below in component form.
 - a vector in standard position with endpoint (a, b) **$\langle a, b \rangle$**
 - a vector with initial point (a, b) and endpoint (c, d) **$\langle c - a, d - b \rangle$**
 - a vector in standard position with endpoint $(-3, 5)$ **$\langle -3, 5 \rangle$**
 - a vector with initial point $(2, -3)$ and endpoint $(6, -8)$ **$\langle 4, -5 \rangle$**
 - $\vec{a} + \vec{b}$** if $\vec{a} = \langle -3, 5 \rangle$ and $\vec{b} = \langle 6, -4 \rangle$ **$\langle 3, 1 \rangle$**
 - $5\vec{u}$** if $\vec{u} = \langle 8, -6 \rangle$ **$\langle 40, -30 \rangle$**
 - $-\frac{1}{3}\vec{v}$** if $\vec{v} = \langle -15, 24 \rangle$ **$\langle 5, -8 \rangle$**
 - $0.5\vec{w} + 1.5\vec{v}$** if $\vec{u} = \langle 10, -10 \rangle$ and $\vec{v} = \langle -8, 6 \rangle$ **$\langle -7, 4 \rangle$**

Helping You Remember

- A good way to remember a new mathematical term is to relate it to a term you already know. You learned about *scale factors* when you studied similarity and dilations. How is the idea of a *scalar* related to *scale factors*? **Sample answer: A scalar is the term used for a constant (a specific real number) when working with vectors. A vector has both magnitude and direction, while a scalar is just a magnitude. Multiplying a vector by a positive scalar changes the magnitude of the vector, but not the direction, so it represents a change in scale.**

9-6 Enrichment

Reading Mathematics

Many quantities in nature can be thought of as vectors. The science of physics involves many vector quantities. In reading about applications of mathematics, ask yourself whether the quantities involve only magnitude or both magnitude and direction. The first kind of quantity is called **scalar**. The second kind is a **vector**.

Classify each of the following. Write **scalar** or **vector**.

- the mass of a book **scalar**
- a car traveling north at 55 mph **vector**
- a balloon rising 24 feet per minute **vector**
- the size of a shoe **scalar**
- a room temperature of 22 degrees Celsius **scalar**
- a west wind of 15 mph **vector**
- the batting average of a baseball player **scalar**
- a car traveling 60 mph **vector**
- a rock falling at 10 mph **vector**
- your age **scalar**
- the force of Earth's gravity acting on a moving satellite **vector**
- the area of a record rotating on a turntable **scalar**
- the length of a vector in the coordinate plane **scalar**

NAME _____

DATE _____

PERIOD _____


9-7

Study Guide and Intervention

Transformations with Matrices

Translations and Dilations A vector can be represented by the ordered pair (x, y) or by the column matrix $\begin{bmatrix} x \\ y \end{bmatrix}$. When the ordered pairs for all the vertices of a polygon are placed together, the resulting matrix is called the **vertex matrix** for the polygon.

For $\triangle ABC$ with $A(-2, 2)$, $B(2, 1)$, and $C(-1, -1)$, the vertex matrix for the triangle is $\begin{bmatrix} -2 & 2 & -1 \\ 2 & 1 & -1 \end{bmatrix}$.



Example 1

For $\triangle ABC$ above, use a matrix to find the coordinates of the vertices of the image of $\triangle ABC$ under the translation $(x, y) \rightarrow (x + 3, y - 1)$. To translate the figure 3 units to the right, add 3 to each x -coordinate. To translate the figure 1 unit down, add -1 to each y -coordinate.

$$\begin{bmatrix} -2 & 2 & -1 \\ 2 & 1 & -1 \end{bmatrix} + \begin{bmatrix} 3 & 3 & 3 \\ -1 & -1 & -1 \end{bmatrix} = \begin{bmatrix} 1 & 5 & 2 \\ 1 & 0 & -2 \end{bmatrix}$$

The coordinates are $A'(1, 1)$, $B'(5, 0)$, and $C'(-2, -2)$.

Example 2

For $\triangle ABC$ above, use a matrix to find the coordinates of the vertices of the image of $\triangle ABC$ for a dilation centered at the origin with scale factor 3.

$$\begin{matrix} \text{Scale} \\ \text{Factor} \end{matrix} \begin{matrix} \text{Vertex Matrix} \\ \text{of } \triangle ABC \end{matrix} \cdot \begin{matrix} \text{Vertex Matrix} \\ \text{of } \triangle A'B'C' \end{matrix} = \begin{bmatrix} -6 & 6 & -3 \\ 6 & 3 & -3 \end{bmatrix}$$

The coordinates are $A'(-6, 6)$, $B'(6, 3)$, and $C'(-3, -3)$.

Exercises

Use a matrix to find the coordinates of the vertices of the image of each figure under the given translations or dilations.

- $\triangle ABC$ with $A(3, 1)$, $B(-2, 4)$, $C(-2, -1)$; $(x, y) \rightarrow (x - 1, y + 2)$
 $A'(-4, 3)$, $B'(-3, 6)$, $C'(-3, 1)$
- parallelogram $RSTU$ with $R(-4, -2)$, $S(-3, 1)$, $T(3, 4)$, $U(2, 1)$; $(x, y) \rightarrow (x - 4, y - 3)$
 $R'(-8, -5)$, $S'(-7, -2)$, $T'(-1, 1)$, $U'(-2, -2)$
- rectangle $PQRS$ with $P(4, 0)$, $Q(3, -3)$, $R(-3, -1)$, $S(-2, 2)$; $(x, y) \rightarrow (x - 2, y + 1)$
 $P'(2, 1)$, $Q'(1, -2)$, $R'(-5, 0)$, $S'(-4, 3)$
- $\triangle ABC$ with $A(-2, -1)$, $B(-2, -3)$, $C(2, -1)$; dilation centered at the origin with scale factor 2
 $A'(-4, -2)$, $B'(-4, -6)$, $C'(4, -2)$
- parallelogram $RSTU$ with $R(4, -2)$, $S(-4, -1)$, $T(-2, 3)$, $U(6, 2)$; dilation centered at the origin with scale factor 1.5
 $R'(6, -3)$, $S'(-6, -1.5)$, $T'(-3, 4.5)$, $U'(9, 3)$

© Glencoe/McGraw-Hill

515

Glencoe Geometry

NAME _____

DATE _____

PERIOD _____

9-7

Study Guide and Intervention

Transformations with Matrices


Reflections and Rotations When you reflect an image, one way to find the coordinates of the reflected vertices is to multiply the vertex matrix of the object by a reflection matrix. To perform more than one reflection, multiply by one reflection matrix to find the first image. Then multiply by the second matrix to find the final image. The matrices for reflections in the axes, the origin, and the line $y = x$ are shown below.

For a reflection in the:	x-axis	y-axis	origin	line $y = x$
Multiply the vertex matrix by:	$\begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$	$\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix}$	$\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$	$\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$

Example $\triangle ABC$ has vertices $A(-2, 3)$, $B(1, 4)$, and $C(3, 0)$. Use a matrix to find the coordinates of the vertices of the image of $\triangle ABC$ after a reflection in the x -axis.

To reflect in the x -axis, multiply the vertex matrix of $\triangle ABC$ by the reflection matrix for the x -axis.

$$\begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix} \cdot \begin{bmatrix} -2 & 1 & 3 \\ 3 & 4 & 0 \end{bmatrix} = \begin{bmatrix} -2 & 1 & 3 \\ -3 & -4 & 0 \end{bmatrix}$$



Exercises

Use a matrix to find the coordinates of the vertices of the image of each figure under the given reflection.

- $\triangle ABC$ with $A(-3, 2)$, $B(-1, 3)$, $C(1, 0)$; reflection in the x -axis
 $A'(-3, -2)$, $B'(-1, -3)$, $C'(1, 0)$
- $\triangle XYZ$ with $X(2, -1)$, $Y(4, -3)$, $Z(-2, 1)$; reflection in the y -axis
 $X'(-2, -1)$, $Y'(-4, -3)$, $Z'(2, 1)$
- $\triangle ABC$ with $A(3, 4)$, $B(-1, 0)$, $C(-2, 4)$; reflection in the origin
 $A'(-3, -4)$, $B'(1, 0)$, $C'(-2, -4)$
- parallelogram $RSTU$ with $R(-3, 2)$, $S(3, 2)$, $T(5, -1)$, $U(-1, -1)$; reflection in the line $y = x$
 $R'(2, -3)$, $S'(2, 3)$, $T'(-1, 5)$, $U'(-1, -1)$
- $\triangle ABC$ with $A(2, 3)$, $B(-1, 2)$, $C(1, -1)$; reflection in the origin, then reflection in the line $y = x$
 $A'(-3, -2)$, $B'(-2, 1)$, $C'(1, -1)$
- parallelogram $RSTU$ with $R(0, 2)$, $S(4, 2)$, $T(3, -2)$, $U(-1, -2)$; reflection in the x -axis, then reflection in the y -axis
 $R'(0, -2)$, $S'(-4, -2)$, $T'(-3, 2)$, $U'(1, 2)$

© Glencoe/McGraw-Hill

516

Glencoe Geometry

NAME _____ DATE _____ PERIOD _____

9-7

Skills Practice

Transformations with Matrices

Use a matrix to find the coordinates of the vertices of the image of each figure under the given translations.

- $\triangle STU$ with $S(6, 4)$, $T(9, 7)$, and $U(14, 2)$; $(x, y) \rightarrow (x - 4, y + 3)$
 $S'(2, 7)$, $T'(5, 10)$, $U'(10, 5)$
- $\triangle GHI$ with $G(-5, 0)$, $H(-3, 6)$, and $I(-2, 1)$; $(x, y) \rightarrow (x + 2, y + 6)$
 $G'(-3, 6)$, $H'(-1, 12)$, $I'(0, 7)$
- $\triangle DEF$ with $D(2, 1)$, $E(5, 4)$, and $F(7, 2)$; $r = 4$
 $D'(8, 4)$, $E'(20, 16)$, $F'(28, 8)$
- quadrilateral $WXYZ$ with $W(-9, 6)$, $X(-6, 3)$, $Y(3, 12)$, and $Z(-6, 15)$; $r = \frac{1}{3}$
 $W'(-3, 2)$, $X'(-2, 1)$, $Y'(1, 4)$, $Z'(-2, 5)$

Use a matrix to find the coordinates of the vertices of the image of each figure under the given reflection.

- $\triangle MNO$ with $M(-5, 1)$, $N(-2, 3)$, and $O(2, 0)$; y -axis
 $M'(5, 1)$, $N'(2, 3)$, $O'(-2, 0)$
- quadrilateral $ABCD$ with $A(3, 1)$, $B(6, -2)$, $C(5, -5)$, and $D(1, -6)$; x -axis
 $A'(3, -1)$, $B'(6, 2)$, $C'(5, 5)$, $D'(1, 6)$

Use a matrix to find the coordinates of the vertices of the image of each figure under the given rotation.

- $\triangle RST$ with $R(-2, -2)$, $S(-3, 3)$, and $T(2, 2)$; 90° counterclockwise
 $R'(2, -2)$, $S'(-3, -3)$, $T'(-2, 2)$
- $\square LMNP$ with $L(3, 4)$, $M(7, 4)$, $N(9, -3)$, and $P(5, -3)$; 180° counterclockwise
 $L'(-3, -4)$, $M'(-7, -4)$, $N'(-9, 3)$, $P'(-5, 3)$

© Glencoe/McGraw-Hill

517

Glencoe Geometry

NAME _____ DATE _____ PERIOD _____

9-7

Practice (Average)

Transformations with Matrices

Use a matrix to find the coordinates of the vertices of the image of each figure under the given translations.

- $\triangle KLM$ with $K(-7, -3)$, $L(4, 9)$, and $M(9, -6)$; $(x, y) \rightarrow (x - 7, y + 2)$
 $K'(-14, -1)$, $L'(-3, 11)$, $M'(2, -4)$
- $\square ABCD$ with $A(-4, 3)$, $B(-2, 8)$, $C(3, 10)$, and $D(1, 5)$; $(x, y) \rightarrow (x + 3, y - 9)$
 $A'(-1, -6)$, $B'(1, -1)$, $C'(6, 1)$, $D'(4, -4)$

Use scalar multiplication to find the coordinates of the vertices of each figure for a dilation centered at the origin with the given scale factor.

- quadrilateral HJK with $H(-2, 3)$, $I(2, 6)$, $J(8, 3)$, and $K(3, -4)$; $r = \frac{1}{3}$
 $H'(\frac{2}{3}, -1)$, $I'(\frac{2}{3}, -2)$, $J'(-\frac{8}{3}, -1)$, $K'(-1, \frac{4}{3})$
- pentagon $DEFGH$ with $D(-8, -4)$, $E(-8, 2)$, $F(2, 6)$, $G(8, 0)$, and $H(4, -6)$; $r = \frac{5}{4}$
 $D'(-10, -5)$, $E'(-10, \frac{5}{2})$, $F'(\frac{5}{2}, \frac{15}{2})$, $G'(10, 0)$, $H'(5, -\frac{15}{2})$

Use a matrix to find the coordinates of the vertices of the image of each figure under the given reflection.

- $\triangle QRS$ with $Q(-5, -4)$, $R(-1, -1)$, and $S(2, -6)$; x -axis
 $Q'(-5, 4)$, $R'(-1, 1)$, $S'(2, 6)$
- quadrilateral $VXYZ$ with $V(-4, -2)$, $X(-3, 4)$, $Y(2, 1)$, and $Z(4, -3)$; $y = x$
 $V'(-2, -4)$, $X'(4, -3)$, $Y'(1, 2)$, $Z'(-3, 4)$

Use a matrix to find the coordinates of the vertices of the image of each figure under the given rotation.

- $\square EFGH$ with $E(-5, -4)$, $F(-3, -1)$, $G(5, -1)$, and $H(3, -4)$; 90° counterclockwise
 $E'(4, -5)$, $F'(1, -3)$, $G'(1, 5)$, $H'(4, 3)$
- quadrilateral $PSTU$ with $P(-3, 5)$, $S(2, 6)$, $T(8, 1)$, and $U(-6, -4)$; 270° counterclockwise
 $P'(5, 3)$, $S'(6, -2)$, $T'(1, -8)$, $U'(-4, 6)$

9. **FORESTRY** A research botanist mapped a section of forested land on a coordinate grid to keep track of endangered plants in the region. The vertices of the map are $A(-2, 6)$, $B(9, 8)$, $C(14, 4)$, and $D(1, -1)$. After a month, the botanist has decided to decrease the research area to $\frac{3}{4}$ of its original size. If the center for the reduction is $O(0, 0)$, what are the coordinates of the new research area?

$A(-\frac{3}{2}, \frac{9}{2})$, $B(\frac{27}{4}, 6)$, $C(\frac{21}{2}, 3)$, $D(\frac{3}{4}, -\frac{3}{4})$

© Glencoe/McGraw-Hill

518

Glencoe Geometry

NAME _____

DATE _____

PERIOD _____

9-7

Reading to Learn Mathematics

Transformations with Matrices

Pre-Activity

How can matrices be used to make movies?


Read the introduction to Lesson 9-7 at the top of page 506 in your textbook.

- What kind of transformation should be used to move a polygon?
reflection, translation, or rotation
- What kind of transformation should be used to resize a polygon?
dilation

Reading the Lesson


1. Write a vertex matrix for each figure.

a. $\triangle ABC$



$$\begin{bmatrix} 3 & -3 & -1 \\ 1 & 4 & -4 \end{bmatrix}$$

b. parallelogram ABCD



$$\begin{bmatrix} -4 & -1 & 4 & 1 \\ 0 & 3 & 3 & 0 \end{bmatrix}$$

2. Match each transformation from the first column with the corresponding matrix from the second or third column. In each case, the vertex matrix for the preimage of a figure is multiplied on the left by one of the matrices below to obtain the image of the figure. All rotations listed are counterclockwise through the origin. (Some matrices may be used more than once or not at all.)

- | | |
|---|--|
| a. reflection over the y-axis vi
b. 90° rotation viii
c. reflection over the line $y = x$ iii
d. 270° rotation v
e. reflection over the origin ii
f. 180° rotation ii
g. reflection over the x-axis vii
h. 360° rotation i | i. $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$
ii. $\begin{bmatrix} -1 & 0 \\ 0 & -1 \end{bmatrix}$
iii. $\begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix}$
iv. $\begin{bmatrix} 0 & -1 \\ -1 & 0 \end{bmatrix}$
v. $\begin{bmatrix} 0 & 1 \\ -1 & 0 \end{bmatrix}$
vi. $\begin{bmatrix} -1 & 0 \\ 0 & 1 \end{bmatrix}$
vii. $\begin{bmatrix} 1 & 0 \\ 0 & -1 \end{bmatrix}$
viii. $\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix}$ |
|---|--|

Helping You Remember

3. How can you remember or quickly figure out the matrices for the transformations in Exercise 2? **Visualize or sketch how the "unit points" (1, 0) on the x-axis and (0, 1) on the y-axis are moved by the transformation. Write the ordered pair for the image points in a 2×2 matrix, with the coordinates of the image of the x-axis unit point in the first column and the coordinates of the image of the y-axis unit point in the second column.**

© Glencoe/McGraw-Hill

519

Glencoe Geometry

NAME _____

DATE _____

PERIOD _____


9-7

Enrichment

Vector Addition

Vectors are physical quantities with magnitude and direction. Force and velocity are two examples. We will investigate adding vector quantities. The sum of two vectors is called a **resultant vector** or just the **resultant**.

Example Two separate forces, one measuring 20 units and the other measuring 40 units, act on an object. If the angle between the forces is 50°, find the magnitude and direction of the resultant force.



First, the vectors must be rearranged by placing the tail of the 20-unit vector at the head of the 40-unit vector. Since these vectors are not perpendicular, the horizontal and vertical components of one of the vectors must be found. Using trigonometry, the horizontal component must be $(20 \cos 50^\circ)$ units and the vertical component must be $(20 \sin 50^\circ)$ units. Replacing the 20-unit vector with these components, we can now form two vectors perpendicular and use the Pythagorean Theorem to find the resultant.

$$\begin{aligned} r^2 &= (40 + 20 \cos 50^\circ)^2 + (20 \sin 50^\circ)^2 \\ r^2 &\approx (52.9)^2 + (15.3)^2 \\ r^2 &\approx 3032.5 \\ r &\approx 55.1 \end{aligned}$$

$$\begin{aligned} \tan O &= \frac{20 \sin 50^\circ}{40 + 20 \cos 50^\circ} \\ &\approx 0.2898 \\ m\angle O &\approx 16 \end{aligned}$$

Therefore, the resultant force is 55.1 units directed 16° from the 40-unit force.

Solve. Round all angle measures to the nearest degree. Round all other measures to the nearest tenth.

1. A plane flies due west at 250 kilometers per hour while the wind blows south at 70 kilometers per hour. Find the plane's resultant velocity.
259.6 km/h, 16° south of west
2. A plane flies east for 200 km, then 60° south of east for 80 km. Find the plane's distance and direction from its starting point.
249.8 km, 16° south of east
3. One force of 100 units acts on an object. Another force of 80 units acts on the object at a 40° angle from the first force. Find the resultant force on the object.
169.3 units, 18° from the 100-unit force

© Glencoe/McGraw-Hill

520

Glencoe Geometry

Chapter 9 Assessment Answer Key

Form 1
Page 521

1. A

2. B

3. C

4. A

5. B

6. D

7. D

8. C

9. B

10. D

11. A

Page 522

12. C

13. C

14. C

15. B

16. D

17. B

18. A

19. D

20. A

B: 120°
counterclockwise
or 240° clockwise

Form 2A
Page 523

1. C

2. A

3. D

4. D

5. A

6. B

7. C

8. C

9. D

10. B

(continued on the next page)

Chapter 9 Assessment Answer Key

Form 2A (continued)

Page 524

11. C

12. B

13. D

14. B

15. D

16. A

17. B

18. A

19. C

20. C

B: $\langle \frac{3}{5}, \frac{4}{5} \rangle$

Form 2B

Page 525

1. D

2. C

3. C

4. C

5. A

6. C

7. B

8. A

9. A

10. C

Page 526

11. B

12. B

13. B

14. D

15. A

16. D

17. B

18. A

19. B

20. D


B: $\langle -9, -12 \rangle$

Chapter 9 Assessment Answer Key

Form 2C

Page 527

1. (5, -2)



3. 1

4. No, it is not a reflection in line b .

5. $W'(3, -2),$
 $X'(-8, 2)$

6. $A'(1, 3)$ $B'(5, 1)$

7. (1, -3)


8. No, each \angle measure is 150, which is not a factor of 360.

9. uniform

10. reduction

Page 528

11. 3



13. $\frac{3}{4}$

14. 203.2°

15. 10

16. $\langle 7, 4 \rangle$

17. yes

18. (-4, 7)

19. $E'(9, -1),$
 $F'(2, -5), G'(5, 2)$

20. $A'(0, 2), B'(-3, 6),$
 $C'(-5, 0)$

B: about 401.1 mph,
about 4.3° south
of due west


Answers

Chapter 9 Assessment Answer Key

Form 2D

Page 529

1. (3, 6)



3. 2

4. Yes, it is reflected over both lines a and b .

5. $U'(-1, 0), V'(2, 3)$

6. $C'(-4, 0), D'(-4, 3)$

7. $Q''(-1, 2)$


8. No, each angle measure is 156, which is not a factor of 360.

9. uniform, semi-regular

10. enlargement

Page 530

11. 35



13. $\frac{4}{3}$

14. 213.7°

15. 13

16. $\langle 9, -6 \rangle$

17. yes

18. $(-13, -4)$

19. $J'(1, -1), K'(12, 3), L'(4, -8)$


20. $D'(-2, -1), E'(-1, -6), F'(3, -2)$

B: about 302.7 mph, about 7.6° east of due south


Chapter 9 Assessment Answer Key

Form 3
Page 531

1.




2.



3. Sample answers:
distance measure,
betweenness of
points, \angle measure,
collinearity

4.



5. $C(1, 13), D(-4, 9)$

6. order: 20,
magnitude: 18°

7. $R''(3, -5), S''(8, -7),$
 $T''(1, -10),$
 90° clockwise


8. No, each angle
measure is 144, which
is not a factor of 360.

9. not uniform

10. 9

Page 532

11.



12. 6.6 in. by 8.4 in.

13. $\frac{6}{5}$

14. Reflect in the x-axis
and the y-axis, in
either order.

15. 333.4°

16. 7.3

17. $\langle 3, 8 \rangle$

18. $(4 + a, -7 + b)$

19. $J'(-2, 5),$
 $K'(-8, 1), L'(-2, 3)$

20. $G'(5, 4),$
 $H'(-1, -1),$
 $I'(-6, 2)$

B: $(3, 3\sqrt{3})$

Chapter 9 Assessment Answer Key

Page 533, Open-Ended Assessment Scoring Rubric


Score	General Description	Specific Criteria
4	Superior A correct solution that is supported by well-developed, accurate explanations	<ul style="list-style-type: none"> Shows thorough understanding of the concepts of <i>reflections, translations, rotations, dilations, tessellations, vectors, and matrices</i>. Uses appropriate strategies to solve problems. Computations are correct. Written explanations are exemplary. Figures are accurate and appropriate. Goes beyond requirements of some or all problems.
3	Satisfactory A generally correct solution, but may contain minor flaws in reasoning or computation	<ul style="list-style-type: none"> Shows an understanding of the concepts of <i>reflections, translations, rotations, dilations, tessellations, vectors, and matrices</i>. Uses appropriate strategies to solve problems. Computations are mostly correct. Written explanations are effective. Figures are mostly accurate and appropriate. Satisfies all requirements of problems.
2	Nearly Satisfactory A partially correct interpretation and/or solution to the problem	<ul style="list-style-type: none"> Shows an understanding of the concepts of <i>reflections, translations, rotations, dilations, tessellations, vectors, and matrices</i>. Uses appropriate strategies to solve problems. Computations are mostly correct. Written explanations are effective. Figures are mostly accurate and appropriate. Satisfies all requirements of problems.
1	Nearly Unsatisfactory A correct solution with no supporting evidence or explanation	<ul style="list-style-type: none"> Final computation is correct. No written explanations or work shown to substantiate the final computation. Figures may be accurate but lack detail or explanation. Satisfies minimal requirements of some of the problems.
0	Unsatisfactory An incorrect solution indicating no mathematical understanding of the concept or task, or no solution is given	<ul style="list-style-type: none"> Shows little or no understanding of most of the concepts of <i>reflections, translations, rotations, dilations, tessellations, vectors, and matrices</i>. Does not use appropriate strategies to solve problems. Computations are incorrect. Written explanations are unsatisfactory. Figures are inaccurate or inappropriate. Does not satisfy requirements of problems. No answer given.

Chapter 9 Assessment Answer Key

Page 533, Open-Ended Assessment Sample Answers

In addition to the scoring rubric found on page A28, the following sample answers may be used as guidance in evaluating open-ended assessment items.

1. Students should draw a tessellation where they use only one regular polygon and the angle measures at each vertex are congruent and total 360° , as shown in the figure.



2. A rectangular mirror with two lines of symmetry, one vertical and one horizontal, through the middle or a spoon with one line of symmetry down the middle, etc.



3. a. $\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix}$

b. $B'(0, 1)$

c. $A'(-1, 0)$


- d. The first column of the matrix in part a is the image of $(1, 0)$ and the second column is the image of $(0, 1)$.

4. The student should draw a tessellation formed by two different regular polygons as shown in the figure.



Reflect $\triangle ABC$ with $A(1, 1)$, $B(2, 3)$, and $C(-1, 2)$ in the x -axis, rotate 90° counterclockwise about the origin, translate 2 units to the left and 1 unit up, then dilate with center at the origin and a scale factor of 2. The image of $\triangle ABC$ has vertices $A'(-2, 4)$, $B'(2, 6)$, and $C'(0, 0)$.

6. \overline{CD} has magnitude $\sqrt{41}$ or ≈ 6.4 and direction 51.3° . In general, if D has coordinates (a, b) then the magnitude will be $\sqrt{a^2 + b^2}$ and the direction will be $\tan^{-1}\left(\frac{b}{a}\right)$.




Chapter 9 Assessment Answer Key

Vocabulary Test/Review Page 534


1. isometry
2. reflection
3. rotation
4. standard position
5. translation
6. vector
7. line of symmetry
8. dilation
9. parallel vectors
10. component form
11. the fixed point around which the points are turned
12. a constant
13. a pattern covering a plane by transforming the same figure(s) with no overlapping or spaces

Quiz 1 Page 535


1. $Q'(6, 4)$
2. 1
3. The points are not all moved the same distance or in the same direction.
4. $(x + 9, y + 4)$



Quiz 2 Page 206

1. $A''(-3, -2)$
2. 
3. yes
4. yes
5. 42

Quiz 3 Page 536

1. distance
2. $X'(-4, 12), Y'(20, 28), Z'(8, -16)$
3. magnitude: $\sqrt{17}$, direction: 284°
4. 
5. B

Quiz 4 Page 206

1. $Z'(-8, 12), Y'(-4, 16)$
2. $M'(-7, 3), N'(-5, 2), O'(-6, 6)$
3. $A'(3, -1), B'(-8, 2), C'(-5, 7)$
4. $D'(1, -\frac{3}{2}), E'(2, \frac{1}{2}), F'(-1, \frac{3}{2})$
5. $\begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix}$

Chapter 9 Assessment Answer Key

Mid-Chapter Test

Page 537

Part I

1. B

2. B

3. B

4. C

5. D

Part II

6. (7, 1)

7. $D''(-1, 1), E''(-1, 6),$
 $F''(4, 6), G''(4, 1)$

8. No, the size has
been changed.

9. $B''(-7, 4)$

10. No; measure of
interior angle = 168.

Cumulative Review

Page 538

1. $m\angle T = 166$ and
 $m\angle S = 14$

2. sometimes

3. $4\sqrt{2}$

4. $F\left(\frac{n}{2}, b\right)$

5. $23 < x < 113$


6. 18

7. $\sqrt{45}$ or ≈ 6.7

8. $m\angle S = 49.6,$
 $m\angle V = 48.4,$
 $v = 39.3$

9. no; $\overline{BC} \nparallel \overline{DA}$

10. $a = 10, b = 4,$
 $m\angle HJK = 78$



12. $\langle 13, -9 \rangle$

Chapter 9 Assessment Answer Key

Standardized Test Practice

Page 539

Page 541

1. A B C D

2. E F G H

3. A B C D

4. E F G H

5. A B C D

6. E F G H

7. A B C D

8.

9			
.	/	/	.
	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

9.

6	0	.	1
.	/	/	.
	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

10.

5	/	7	
.	.	.	.
	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

11.

	0	.	8
.	/	/	.
	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

12.

1	8	6	
.	/	/	.
	0	0	0
1	1	1	1
2	2	2	2
3	3	3	3
4	4	4	4
5	5	5	5
6	6	6	6
7	7	7	7
8	8	8	8
9	9	9	9

13.
$$\frac{m\angle 1 = 77,}{m\angle 2 = 103}$$

14.
$$(b + c, a)$$

15.
$$\frac{E'(7, 6) \text{ and}}{F'(-6, -12)}$$